

This issue contains MARCH INDEX.

# CURRENT LIST of MEDICAL LITERATURE

Vol. 10

March 29, 1946

No. 13

## SUBJECT GROUPS ACCORDING TO JOURNALS

- |                                      |                                       |
|--------------------------------------|---------------------------------------|
| 1. Anatomy; Histology                | 26. Infectious Diseases; Epidemiology |
| 2. Anthropology; Ethnology           | 27. Medicine                          |
| 3. Archeology; Paleontology          | 28. Metabolism                        |
| 4. Aviation Medicine                 | 29. Military and Naval Medicine       |
| 5. Bacteriology; Parasitology        | 30. Miscellaneous                     |
| 6. Biology; Embryology               | 31. Neurology; Psychiatry             |
| 7. Bone; Joint; Extremities; Muscle  | 32. Nursing                           |
| 8. Cancerology                       | 33. Ophthalmology                     |
| 9. Cardiovascular System             | 34. Otorhinolaryngology; Phoniatry    |
| 10. Chemistry; Physics               | 35. Pathology                         |
| 11. Dentistry; Stomatology           | 36. Pediatrics; Child Welfare         |
| 12. Dermatology                      | 37. Pharmacology; Pharmacy            |
| 13. Diagnosis; Clinical Methods      | 38. Physiology                        |
| 14. Dietetics; Foods; Nutrition      | 39. Psychology; Mental Hygiene        |
| 15. Digestive System                 | 40. Public Health; Sanitation         |
| 16. Endocrinology                    | 41. Radiology; Phototherapy           |
| 17. Forensic Medicine; Toxicology    | 42. Respiratory System                |
| 18. Genetics; Eugenics               | 43. Surgery; Traumatology             |
| 19. Gynecology; Obstetrics           | 44. Therapeutics                      |
| 20. Hematology                       | 45. Tropical Medicine                 |
| 21. History; Biography; Bibliography | 46. Tuberculosis                      |
| 22. Homeopathy; Osteopathy, etc.     | 47. Urology                           |
| 23. Hospitals                        | 48. Venereal Diseases; Sexology       |
| 24. Immunology; Serology             | 49. Veterinary Medicine               |
| 25. Industrial Hygiene; Sociology    | 50. Zoology                           |

THE ARMY MEDICAL LIBRARY

Washington, D. C.

# CURRENT LIST

## MEDICAL LITERATURE

For sale by the Superintendent of Documents  
U. S. Government Printing Office, Washington  
25, D. C. : \$3.00 per year (\$3.75 foreign) 10  
cents per single copy. All communications  
regarding subscriptions should be addressed  
to the Superintendent of Documents at the  
above address.

\*\*\*\*

Published weekly by the Army Medical Library  
7th Street & Independence Ave., S. W., Wash-  
ington 25, D. C., as an intraservice publica-  
tion of the War Department. Lists with com-  
plete reference articles of medical interest  
contained in all current journals received.  
Subject-index provided monthly. Exchange in-  
vited.

THE ARMY MEDICAL LIBRARY  
Washington D. C.

SUBJECT INDEX  
for  
Vol.10 Nos.9-12 (p.385-536)

March, 1946

- ABATTOIRS, 4201
- ABDOMEN  
  abnorm., 456f  
  blood supply, 423m  
  surg., 410e, 424c, 469r, 442m, 505u, 510u  
  wounds & injuries, 417j, 424q, 442h, 487w, 491e, 514b
- ABNORMALITIES & DEFORMITIES  
  etiolo., 511j
- ABORTION, 472r  
  opl. & seq., 456n  
  etiolo. & pathogenesis, 506c  
  in animals, 457t, u  
  indico., 513f  
  infectious, 495v, w, 498b, t  
  tubal, 445p
- ABSCESS  
  etiolo. & pathogenesis, 398a, 512n  
  iliac region, 476c  
  retropharyngeal, 458n
- ACANTHOSIS nigricans, 504d
- ACARISCUS, 500m
- ACCIDENTS, 532f
- ACID  
  acetic, 482b  
  adenylphosphoric, 435i, 446v  
  alicyclic, 493s  
  benzoic, 465v, 522w  
  cacodylic, 481d  
  caprylic, 400c  
  cinnamic, 461b  
  citric, 408v  
  dehydroascorbic, 504w  
  dicarboxylic, 445n  
  fatty, 387j, 388a, 400d  
  hendecanoic, 388b  
  kojic, 465k  
  oxalic, 400r, 446d  
  periodic, 522v  
  phenic, 497u  
  phthalic, 523a  
  stearic, 388v  
  succinic, 388p  
  thioglycolic, 516s  
  weak, 425-1
- ACID-BASE EQUILIBRIUM, 458c
- ACIDOSIS  
  experimental, 481c  
  in animals, 497e
- ACROMEGALY, 524b
- ACROSCLEROSIS, 504e
- ACTINOMYCELES neorophorus, 496c
- ACTINOMYCOSIS  
  pulmonary, 422b  
  thoraco-pulmonary, 396q
- ADENINE, 387u
- ADENOIDS, 454t
- ADOLESCENCE, 448e, f, 534p
- ADRENAL PREPARATIONS, 472c  
  chem., 388r  
  eff., 467e, 481-1  
  therapy, 517e
- ADRENALS  
  anat. & histol., comparative, 498j  
  cancer, 511t, 514i  
  dis., 503b  
  innervation, 499r, u  
  tumors, 433c, 452v
- AEROSOLS, 440v
- AGAR, bacteria, 425u
- AGE & infection, 399s
- AGGLUTININS & AGGLUTINATION, 385s,  
  471j, 516w  
  bacterial, 407m, 465q  
  hemagglutination, 407m, 433c, 514s, 515w  
  leukoagglutination, 394w, 471a
- AINHUM, 438p
- AIR  
  bacteriology, 395p, 419i  
  chem., 523m  
  impurities, 395m, 419u, 437r  
  pressure, 385j
- AIR RAIDS, 461k, 521s
- AL 63, 485b
- ALANINE, 427e
- ALCOHOL, 450r
- ALCOHOLISM, 510k  
  diagn., 455-1, m  
  heredity, 519r
- ALCOHOLS, 501h
- ALDEHYDES, 501q
- ALFASOL, 414c
- ALKALI, 406e, 437u
- ALKALOIDS, 528h
- ALKANES, 501c
- ALLANTOIN, 465q
- ALOPECIA, 503-1, o  
  etiolo., 484w, 513r  
  therapy, 397d
- ALTITUDE, 385j, 447v, 461r, w, 462a, b, c, j
- AMEBIASIS, 406p  
  diagn., 518i  
  epidemiol. & statist., 407b, 409v, 471i  
  extra-intestinal, 438w  
  headache, 404g  
  manifestations, 434b
- AMENORRHEA, 440b
- AMINO ACIDS, 387s  
  deficiencies, 447k  
  eff., 427e  
  metabolism, 481r  
  therapy, 424n, 459h, 508p
- AMINOETHANOLS, 501r
- AMMONIA & AMMONIUM, 518a  
  chloride, 416m
- AMPHETAMINE, therapy, 448u
- AMPUTATION  
  opl. & seq., 416u  
  reamputation, 423n  
  training, 491w, 533j  
  technic, 423n, 510-1, 532m, n
- AMPUTATION-STUMP, pain, 432r
- AMYLAASE, bacteria, 425p
- AMYLOIDOSIS, 503d, 516i
- AMYLOPECTIN, 388n
- ANAMNESIS, 444d
- ANAPHYLAXIS & ALLERGY, 435e  
  blood, 461q  
  diagn., 391k, 404u, 456v  
  epidemiol. & statist., 400i  
  heredity, 456t  
  immunity, 470v  
  in infants & children, 451g  
  inunction test, 455q  
  manifestations, 392e, 399-1, 403d, 416e, 456t, 473w, 475s

## ANAPHYLAXIS &amp; ALLERGY (cont'd)

- mortality, 456v
  - physical, 475s
  - serums & vaccines, 456u, 525u
- ANDROGENS**
- eff., 482a, 518j
  - in urine, 516p
  - therapy, 392k

**ANEMIA**

- aplastic, 393t, 471p, 522o
- diagn., 506v
- erythroblastic, 402f, 471n
- hemolytic, 396j, 444b
- in infants & children, 443d
- metabolism, 512o
- nutritional, 460u
- sickle cell, 467h
- splenic, 506t, 515q
- therapy, 515p

**ANEMIA PERNICIOUS, 506v**

- antianemic factor, 457d
- etiol. & pathogen., 532q
- therapy, 473b

**ANEMONE pulsatilla, 387r****ANESTHESIA**

- apparatus & instruments, 470e, 488p
- barbital, 488b, 520o, p
- cpl. & seq., 406j, 417b, 488o
- demerol, 520o
- eff., 516m
- electric, 458d, 514u
- ether, 490m
- history, 490m
- in dentistry, 390h, 428o, 430c, 468g
- in gynecol. & obstetrics, 416o, 429-1, 469r, 470e, 520n, o, p
- intratracheal, 488-1
- metabolism, 428k
- nitrous oxide, 488j
- paravertebral, 480m
- procaine, 490-1
- pyrrolidine, 445m
- spinal, 444a, 488h, n, 520o
- urea derivatives, 460r
- veterinary, 498e, 535g, 536d

**ANEURYSM**

- aortic, 440q
- arteriovenous, 511b, 514q
- carotid, 450e
- femoral, 514q
- iliac, 515i
- mesenteric, 489r
- splenic, 455k
- therapy, 400m, 416v
- traumatic, 424b

**ANGINA, Ludwigs, 454q****ANGINA PECTORIS**

- diagn., 442f
- etiol. & pathogen., 435o

**ANIMAL CAGES, 497o, p****ANIMALS, diseases, 497o****ANTHELMINTHICS, 432-1****ANTHRAX, 413m**

- therapy, 497u, 522h

**ANTHRENU, 499q****ANTIBIOTICS, 387r, 447d, 457p, 465k**

- history, 398j
- standardization, 425v
- therapy, 445a

**ANTIGENS & ANTIBODIES, 421-1, 484o, 495m, 516c**

- hapten-protein, 471c
- mechanism, 484p, q
- standardization, 470t

**ANTITHROMBES, 393o, 400i****ANTIMONY, 481g**

- eff., 456d, 522b
- therapy, 517h

**ANTISEPTICS, 465e**

- eff., 521q
- weak acids, 425-1

**ANUS, imperforate, 514t**

- ANXIETY, 454o, 464j, 524h, 1
- in aviators, 479f

**AORTA**

- abnorm., 427i
- insufficiency, 517e
- ligature, 489r
- roentgenography, 534i
- rupture, 472g
- stricture, 413a, 444p
- wounds & injur., 397m

**APPENDICITIS**

- gangrenous, 402r
- leftsided, 423i
- mortality, 404v
- obliterating, 506d
- therapy, 413h, 415s
- verminous, 490b

**APPENDIX**

- abnorm., 456f
  - hernia, 442u
  - roentgenography, 489q
- APPETITE, disorders, 475f, 528b**
- ARABS, 404f**
- ARACHNOID, infl., 452u**
- ARMS, wounds & injur., 532k**

**ARRYTHMIA**

- auricular fibrillation, 477w, 509n
- bigeminy, 387a
- paroxysmal, 512g

**ARSENIC**

- determ., 504s
- toxicity, 432m, 445t, 495q
- therapy, 466n

**ARTERIES**

- cerebral, 452k
  - gluteal, 491d
  - femoral, 434c
  - mesenteric, 423j
  - occlusion, 423j
  - pathol., 452k
  - physiol., 399t
  - pulmonary, 441o
  - renal, 435m, 452k
  - retinal, 452k
  - spasm, 404w
  - surgery, 441h
  - wounds & injur., 434c, 521t
- ARTERIOSCLEROSIS, 399g, 437k**
- blood, 386u
  - exper., 456j

**ARTHRITIS**

- chronic, 489m
- cpl. & seq., 516j
- therapy, 397r
- tropical, 471-1
- types, 408m

**ARTHRITIS RHEUMATOID, 397g, 402s**

- therapy, 416g

**ASCARIASIS, 432j**

- cpl. & seq., 432k
- duodenal, 432-1
- therapy, 432-1

**ASCARIDIA galli, 500n****ASCITES, etiol. & pathogen., 533v****ASCORBIC ACID, 406s**

- defic., 400s, 429j
- determ., 447o, 504w
- metab., 447o, 482c
- requirements, 459r
- sources, 447s
- therapy, 433g, 435h, 513k

**ASPERGILLUS**

- infection, 490w
- luteovirecens, 465k

**ASPHYXIA**

- neonatorum, 509o, 527u
- therapy, 520a

**ASTHMA, 456w**

- cpl. & seq., 455u
- etiol. & pathogen., 405o
- therapy, 491p

**ASTIGMATISM, 525-1**

- ASTRAGALUS, surgery, 520f
- ATAXIA, hereditary, 397b

- ATOMIC ENERGY**, 446g, i, n, m  
 history, 446g  
 industrial hygiene, 446h  
 med. applications, 402p, 460w  
 political asp., 446k  
 social asp., 446j, l  
**ATROPHY MUSCULAR**, 397b, 481k, 482d  
**AUSTRALIA** aborigines, 514q  
**AUTOMOBILES**, disabled drivers, 492d  
**AUTOPHIES**, 430s, 456q  
**AVIATION**  
 medicine, 385h, j, n, 407i  
 phys. & path. eff., 385j, k, 453s-w,  
 454a, 476h, 508o  
 psychol., 479f  
 tests, 385i  
 transportation of wounded & sick,  
 451i  
**BACKACHE**, 488e, 514e, f  
**BACTEREMIA**, 441p  
 puerperal, 434d  
**BACTERIA**  
 abortus & mellitensis group, 395e,  
 425a, 465p, 486k, m, 495u, v, w, 516w  
 azotobacter, 387k  
 chem., 427p  
 clostridium, 425q, r, 498b  
 coli, 465o, 466m, 484r, s, 522q, 528a  
 corynebacteria, 535n  
 culture media, 425u, 465h, o  
 enterococci, 445o  
 gelatin-liquefying, 485-1  
 lactic acid group, 387u, 425j, 516s  
 metabolism, 387k, 425p  
 pasteurella, 497j, k  
 proteus, 426c, d, 465o, 514n, 528a  
 subtilis, 516h  
 typhoid group, 465o  
 viability, 416f, 465m  
**BACTERIOLOGY**  
 apparatus & technic, 425m, 447g  
 military, 486e  
**BACTERIOPHAGE**  
 eff. agents, 394u  
 streptococci, 484u  
**BALDY-WEBSTER** operation, 393s  
**BARBITAL**, 481d  
 eff., 473-1  
 therapy, 448u  
**BEDS**, 478d  
**BEEF** extract, 481d  
**BEHAVIOR**, 448-1, 448m  
**BENADRYL**, 410n, 444k  
**BENZENE** toxicity, 465v  
**BENZYL** benzoate, 465v  
 oxide, 465v  
**BIBLE**, 385d  
**BILE**  
 acids & salts, 442c  
 cobalt, 461r  
 white, 469i  
**BILE DUCTS**  
 calculi, 392e, 438u  
 disinfection, 442p  
 roentgenography, 412v, 518g  
 stricture, 443k  
 surgery, 423t  
 tumors, 403e  
**BILIARY TRACT**  
 anat. & histol., 489u  
 calculi, 526s  
 --in animals, 536g  
 surgery, 487t  
**BIOLOGICAL PRODUCTS**, 461k, 474f  
**BIOLOGY**, 518b  
 human, 520r  
**BIOPSIES**, instruments, 444u  
**BIRDS**, dis., 496s
- BISMUTH**  
 therapy, 472u  
 toxicity, 443h  
**BLADDER**  
 abnorm., 456f  
 calculi, 518q  
 --in animals, 535f  
 cancer, 488s, 494m  
 dilatation & distention, 401a  
 disease, 494i, k  
 diverticula, 495o  
 exam., 494o  
 excision, 402d  
 obstruction, 422-1  
 surgery, 451r  
 tumors, 421b  
**BLASTOMYCOSIS**, buccal, 396r  
**BLINDNESS**, 452f  
 etiol. & pathogen., 479o  
 psychol. asp., 433w  
 rehabilitation, 453o  
 statistics, 444q  
 toxic, 398n  
 welfare, 453o, p  
**BLOOD**, 406o, 506s  
 alcohol, 455-1  
 alkali reserve, 512-1  
 amylase, 424m  
 ascorbic acid, 414-1, 467a, 441c  
 bacteriology, 458i  
 bilirubin, 467e  
 calcium, 404c, 467j  
 carbon dioxide in animals, 496b  
 carbonic anhydrase, 441a  
 cells, 506p  
 chem., 508p  
 chlorides, 515q  
 circulation, 442q, 462m, p, 478t,  
 481m, u, 488m  
 coagulation, 386u, 404o, 417m,  
 441v, 481-1, 508-1, q, 517k, s  
 disease, 473i  
 exam., 395e, 465p  
 groups, 404w, 417o, 426o, t, 437r,  
 446w, 514s, 523g  
 --in animals, 534w  
 --Rh factor, 398e, 413p, 426o, 459f,  
 467k, 470i, 489t, 491i, 513w, 515g,  
 515w, 523d  
 histamine, 472o, 481q  
 in invertebrates, 385s  
 ketone bodies, 388f, 481o  
 nicotinic acid, 411n  
 nitrogen, 508p  
 oxygen consumption, 478t  
 parasites, 507i  
 phosphatase, 387-1, 398a, 442d  
 pigments, 432p  
 platelets, 422o, 461q  
 potassium, 435k, 479b  
 proteins, 387n, 397n, 508p, 512j, n  
 prothrombin, 417m, 481-1, 455f  
 pyruvic acid, 466e  
 quinacrine, 433m  
 sedimentation, 416o, 516k, 527r  
 sulfidine, 512r  
 urea, 522r  
**BLOOD PRESSURE**  
 eff. drugs, 445n  
 fetal, 467r  
 insurance asp., 517u  
 pulse, 491f  
**BLOOD PRESSURE HIGH**  
 blood pressure in, 403j  
 brain, 449d  
 etiol. & pathogen., 433e, 435m, 467b  
 heart, 400u  
 portal, 456p  
 retina, 452v  
 surgery, 422v, 473b, 494j  
 therapy, 509o  
 traumatic, 495f  
 weight reduction, 437h

**BLOOD SUGAR**

glycolysis, 388e

glycosuria, 404d

low, 404v, 432o, 436g, 461t, 473o,

511g

measurement, 517q

variations, 462o, g

**BLOOD TRANSFUSION, 511a, 513w, 519v,**

520b

blood, 433o, 521w

blood collection, 475w

centers, 412w

opl. &amp; seq., 398e, 434b, 439u, 445g,

469o, 519w

donors, 409c, 435a

history, 486b

indications, 520a

irradiated blood, 491p

military use, 417p

multiple, 443t

plasma &amp; serum, 487j, 519w

preserved blood, 409n, 519v

sternal, 520c

substitutes, 414q, 532g

technic, 510m, t

umbilical, 459e

veterinary, 534w

**BLOOD VESSELS**

surgery, 423j, 424c, 487v

**BLOODLETTING, 475w****BODY**

height, 459d

weight, 437h

**BONES**

atrophy, 423g

--in animals, 535e

blood supply, 435n

diseases, 420v, 432v

--in animals, 535e

eosinophilic granuloma, 409u

fragility, 421s, 443r

growth, 386o, 429b, 500t

histology, 468v

infections, 491j

marrow, 455f, 456i, 467f, g, 475p

osteolysis, 490q

pathol., 475n, 533b

preservation, 498u

surgery, 400s, 423n, 468k

transplantation, 434s, 491j, 532m

tuberculosis, 489m, 503v

--in animals, 457s

tumors in animals, 498u

**BORON, toxicity, 460-1****BOTULISM, 430k, 471u****BRAIN**

abnorm., 487a

abscess, 403f, 449w

blood vessels, 448d, 450a

chem., 481w, 518m

development, 499f

diseases, 449k, 487b

eff. drugs, 449c

electroencephalography, 399o, 409d,

440i, 441v, 451d, 466v, 479d

hemorrhage, 449d, 450b, 495o

localization of functions, 478v

metabolism, 478t

pathology, 449i

roentgenography, 487a, b

surgery, 439v, 451b

tumors, 399f, 439v, 450c, 524c, 525p,

wounds &amp; injur., 416w, 449i, v, 450b,

521o, 523u

**BREAD, 405n, 469j, 471w****BREAST**

cancer, 402j, 420u, 423a, 457a, c, 471s

489k, 509n, 511o, 517m

Paget's dis., 489k

secretion pathol., 444o

tuberculosis, 533r

tumors, 489d

**BROMIDES**

chem., 388-1

toxicity, 404i

**BRONCHI**

dis., 455u

roentgenography, 422k

spasm, 493g

tumors, 437j, 455a

BRONCHIECTASIS, 510h, 511c

etiol. &amp; pathogen., 433w

surgery, 422w

therapy, 438o, 475d

BRONCHOSOPHAGOSIS, 526d

BRUCELLIN therapy, 403i

BURIAL, exhumation, 430t

BURNS, 407o

blood, 481q

infection, 424p

lungs, 421p

shock, 435-1

therapy, 404r, 423d, 489i, 513s, 533a

BUTTER vitamins, 427q

BUZZARDS, 498g

**CABBAGE, 447-1**

CADAVERS, 430s, t

CADMIUM, toxicity, 522e

**CAFFEINE**

crystalline, 460o

eff., 466s

CAISSON DISEASE, 477p

CALCIFICATION, 402e

**CALCIUM**

in diet, 406o

phosphate, 461a

therapy, 445j

**CALCULI**

etiol. &amp; pathogen., 512m

xanthine, 494k

CALOTROPIS gigantea, 497a

CAMPS, tourist, 437b

CANARIES, dis., 496e

**CANCER**

accidental transmission, 424s

bacteriol., 492m

blood, 386o

chorionic, 398r, 433-1

diagn., 485i

epidemiol. &amp; statist., 386m, 412-1,

456g

etiol. &amp; pathogen., 386p, 401b, 457j

experimental, 386p, 445k, 499i

heredity, 386p, 392g, 457r

in animals, 458o

in infants &amp; children, 411w, 439b

metabolism, 386n, o

pathol., 420u, 456g, 457b

precancerous cond., 450n

prev. &amp; control, 434o, 445g, 474c

therapy, 416k, 436m, 473i, 487e, 518r

virus, 386p

CAPILLARIES, innervation, 499w

**CARBOHYDRATES**

in diet, 462g

metabolism, 409h, 462o, 469r

**CARBON**

metabolic studies, 462r

13, 405e

**CARBON MONOXIDE**

metabolism, 461w, 462a

toxicity, 466v

**CARBON TETRACHLORIDE**

toxicity, 395e, 421q, 447n

CARBONIC ANHYDRASE, 488u

in saliva, 390-1

CARDIA, insufficiency, 399p

CARDIOVASCULAR DISEASES, 385k, 386v,

521a

syphilis, 495o, p, 518e



- CARDIOVASCULAR SYSTEM**  
 abnorm., 400-1  
 development, 467r  
 eff. drugs, 516b, 517s  
 function tests, 481u  
 physiol., 462m  
 roentgenography, 427i, 534i
- CAROTENS**, 447j  
 determ., 427p
- CAROTID PLEXUS**, irradiation, 477a
- CAROTID SINUS**, 441i, o
- CARRIERS**, 528a
- CARTILAGE**  
 histol., 468v  
 transplant., 454n, 532r
- CASTRATION**, 427d, 466q  
 endocrine, 466u  
 veterinary, 498k
- CASTS**, 491q  
 tobruk plaster, 417r
- CATARACT**  
 congenital, 452i, 525t  
 infrared, 452h  
 surgery, 452s, 453e, f, 480b
- CATATONIA**, 476q
- CATHARTICS**, 440d
- CATTLE** breeding, 536k
- CECOSTOMY**, 435d
- CECUM**, dis., 423r
- CELIAC DISEASE**, 459k
- CELLS**  
 inclusions, 499-1  
 nuclei, 386d  
 pathol., 500d
- CELLULITIS**, 505-1  
 face & neck, 454g
- CELLULOSE**, bacteria, 425t
- CEMENTS**, dental, 389-1
- CEPHALOSPORIUM**, 465d, 466r
- CEREALS**, history, 474w
- CEREBROSPINAL FLUID**  
 ascorbic acid, 467a  
 spreading prop., 404b
- CERVICAL PLEXUS**, anesthesia, 480m
- CESAREAN SECTION**  
 cpl., 393r, 505s  
 indications, 411u  
 technic, 475i, 506e, k  
 veterinary (monkey) 534w
- CETANE**, 388v
- CHANCROID**, bacilli, 516v
- CHANA**, 446b
- CHARCOAL**, activated, 446c
- CHEMISTRY**, 472-1, 518b
- CHEMOTHERAPY**, inhalation, 518u
- CHENOPODIUM**, history, 527k
- CHERRIES**, 447s
- CHICKENPOX**, eye, 453a  
 nerv. system, 458p
- CHILD WELFARE**, 451i, 527h, v
- CHILDREN**  
 adoption, 527o  
 educ. & training, 463m, 524j  
 institutional, 524j  
 nerv. & mental dis., 448h, 524h, i, j  
 orphaned, 419v  
 psychol., 408e, 448g, 450j, 524m, 534o
- CHIN**, anthropology, 385q
- CHIROPODY**, 439h
- CHLORINE**  
 chloramine, 464t  
 toxicity, 417k
- CHLOROBENZENE**, 465v
- CHLOROPHENYLETHANE (DDT)** 420f, 451q, 497m, u, 535j, o, 536g  
 social asp., 524r
- CHOLERA**, immunity, 516w
- CHOLESTEROL**, metabolism, 456j
- CHOLINE**  
 acetylcholine, 388e, 399b, 449c, 462i, 481q, 466j, l, 482h, 507w, 508g, 516m, 526r  
 metabolism, 387r
- CHOLINESTERASE**, 478r, 528h
- CHOPRA-GUPTA-DAVID test**, 457q
- CHOREA**, 410h, 443a
- CHOROID PLEXUS**, 535g
- CHROMIUM**, determ., 427u  
 toxicity, 456h
- CHROMOSOMES**  
 heteroploidy, 386a  
 irradiation, 392v, w  
 mosaicism, 426k  
 polyploidy, 393b
- CHRONAXIA**, 466d
- CHRYSOIDINE**, 518n
- CICATRIX**, therapy, 437d
- CICER**, 446b
- CILIARY BODY**, secretion, 453b
- CINCHOPHEN**, eff., 469g
- CIOCHANIN A**, 446b
- CIRCUMCISION**, indic., 513t
- CITRUS FRUITS**, 504v
- CLAVICLE**, develop., 499t
- CLIMATE**, 433i
- CLOTHING**, 485a
- COBALT**  
 deficiency, 497-1  
 metabolism, 461r
- COCARBOXYLASE**, 388d
- COCCIDIOIDOMYCOSIS**, diagn., 417c
- COCCIDIOSIS**  
 human intestinal, 442j  
 therapy, 496c, 498r, 500i
- COCHLIONYIA**, 490b
- COCOA**, 504t
- COLCHICINE**, eff., 517g
- COLD**, eff., 433f
- COLITIS**  
 chronic, 406n, 473q, 513t  
 ulcerative, 473j
- COLLAGEN**, 397c
- COLLOIDION** membrane, 388w
- COLON**  
 cancer, 408n, 487s  
 dilatation, 392d  
 diverticula, 392e  
 hemorrhage, 459s  
 pathol., 519c  
 physiol., 519p
- COLOR BLINDNESS**, therapy, 463u
- COLOR PERCEPTION**, 431c
- COMMUNICABLE DISEASES**  
 epidemiol. & statist., 399s, 405t, 464n, 486i  
 in soldiers & sailors, 477t
- COMPLEMENT**  
 fixation, 516u  
 pathol., 457g
- CONDYLOMA**, 439j
- CONGO RED**, 457g
- CONJUNCTIVITIS**, Parinaud's, 405a, 452c
- CONSTIPATION**, 392c, 492j, 524t
- CONSTITUTION**, types, 533u, 534e, f, i
- CONTRACTURES**  
 Dupuytren's, 401b  
 ischemic, 416b  
 temporomandibular, 468j, k, o  
 therapy, 512d, j
- CONVALESCENCE**, cere, 533k
- CONVALLARIA majalis**, 461h
- CONVULSIONS**  
 etiol. & pathogen., 450e, 488i  
 in animals, 536-1  
 in infants & children, 458q  
 metabolism, 516m  
 therapeutic, 403a, 443b, j, 448p, 449e  
 463t, 473-1, 478u
- COPPER**  
 determ., 528g  
 eff., 509g  
 therapy, 397r
- CORNEA**  
 conical, 453f, l  
 Descemet's membrane, 452e  
 pathol., 447k, 452-1  
 phlyctenule, 453a  
 transplantation, 452g, 521q, 525v  
 ulceration, 476d

- CORONARY VESSELS, 442q, 452k  
 blood circ., 462p  
 roentgenography, 420t  
 CORPUS GEMMULATUM, 452w, 454j  
 CORPUS LUTEUM, physiol., 398c  
 COUNTERS, 446q  
 CRANIUM  
 osteomyelitis, 480k  
 prosthesis, 451d  
 roentgenography, 486w, 522f  
 tumors, 449m  
 wounds & injur., 450d, 512-1  
 CRESYL PHOSPHATES, toxicity, 513f  
 CRIME & CRIMINALS  
 endocrinology, 430q  
 psychology, 464i  
 syphilis, 442e  
 CRIPPLES, care, 451u  
 CROTALARIA, toxicity, 497e  
 CRUSH SYNDROME, 435i  
 in pregnancy, 434b  
 therapy, 439u  
 CRUVEILHIER BAUMGARTEN DISEASE, 456p  
 CRYSTAL VIOLET, 468w  
 CURARE  
 eff., 466d  
 history, 488i  
 therapy, 424u, 447a, 450e, 461n, 488j  
 CYANIDES, 388k, j  
 CYANOSIS, 471q
- DACHAU, 408r  
 DANIELSSON BOECK DISEASE, 396p  
 DATURA, 460r  
 toxicity, 435d  
 DAUSSET FERRIER TEST, 519f  
 DEAFNESS  
 etiol. & pathogen., 477t, 526d  
 in children, 459n  
 occupational, 454p  
 prevention, 459n  
 therapy, 526f  
 toxic, 477u  
 traumatic, 509u  
 welfare, 527o
- DEATH  
 psychol. asp., 536r  
 revival, 509o
- DECAPITATION, 430w
- DEFICIENCY DISEASES, 417t, 435t, 460c  
 manifestations, 428s, 504c, 513p
- DEHYDROGENASE, 425j
- DELEPINE reaction, 528g
- DEMENTIA PRAECOX  
 diagn., 464h  
 therapy, 448u
- DENGUE  
 epidemiol. & statist., 405r, 521u  
 serology, 417i
- DENTIFRICES, 429p
- DENTISTRY, 502o  
 economics, 390w, 429w, 467w  
 education, 429d  
 history, 428n, 429a  
 in Brazil, 502i, j  
 military, 502j, 522m  
 med. relation, 443u, 502j  
 schools:  
 Am. Coll. Dent., 428u, v, w  
 Singapore, 428o
- DEPRESSION, therapy, 448u
- DERMATITIS  
 herpeticiformis, 503m, 504j, m  
 linear serpiginosa, 396u  
 venenata, 455r, u, 504h, j
- DERMATOLOGY  
 therapeutics, 391g  
 veterinary, 536k
- DESOKYPHEURINE, 486h
- DETERGENTS, 394u
- DEXTROSE  
 glycolysis, 462i
- DIABETES MELLITUS, 396g  
 blood, 508v  
 brain, 409d  
 cpl. & seq., 423r, 444n, 508s  
 diet, 508v  
 etiol. & pathogen., 433e, 438v  
 exper., 447u  
 eyes, 479n, 525r  
 metabolism, 441r, 508v  
 pathol., 481v, 526t  
 skin, 503r  
 therapy, 508v, 510b
- DIAGNOSIS, 444d  
 veterinary, 498f
- DIAPHHRAGM  
 abnorm., 460d
- DIARRHEA  
 carriers, 528a  
 epidemic, 393n, 465p  
 in infants & children, 527u, w
- DIATHESIS hemorrhagic, 410d, 441v
- DIATIL, 474v
- DIET  
 adequate, 391v, 414i, 448f, 516t, 517m  
 education, 527w  
 history, 474w  
 purified, 516t  
 therapeutic, 442m
- DIGESTION in sheep, 467r
- DIGITALIS, eff., 516b  
 prep., 404r  
 therapy, 439k
- DIPHENYLHYDANTOIN, 449r
- DIPHTHERIA  
 associated dis., 518p  
 bacilli, 426e, 426f, 465d  
 calf-diphtheria, 496c  
 cutaneous, 520u  
 epidemiol. & statist., 464n, w  
 immunity, 415h, 441t  
 malignant, 472c  
 nasal, 480k, 485k, 526k  
 nonvirulent, 454q  
 toxoid, 425-1, 434k
- DIPLOPIA, 448q
- DISABILITY  
 evaluation, 434j, 515j
- DISEASE, 436w  
 ment. & phys. rel., 436j, 448-1,  
 454c, 491n, 517w  
 susceptibility, 478-1
- DISINFECTION, 484r, s, 534v
- DISTEMPER, 497a
- DIURESIS, 437a, 466t, 507s, 508j  
 posture, 508i
- DIVING, 477p
- DOGS, dis., 498t  
 feeding, 536-1
- DOLOAL, 466t
- DREAMS, 479g, h
- DRESSINGS, 408g
- DROWNING, 520a
- DRUGS  
 addiction, 519t  
 eruptions, 504h  
 quality, 461m  
 salvage, 485n  
 standardization, 467p  
 therapy, 398g, 432c, 511h
- DUCTUS ARTERIOSUS, 424m, 444p, 515n
- DUODENOJEJUNAL POSSA, 423q
- DUODENUM  
 blood supply, 423m  
 roentgenography, 412v  
 tuberculosis, 423h
- DUST, 395m, 437r, 444 q
- DWARFISM, pregnancy, 469s
- DYES, toxicity, 472c
- DYSCHONDROPLASIA, 415g  
 in cattle, 535e



- DYSENTERY, 517h  
   bacilli, 484v  
   immunity, 470u  
   in children, 407e  
   prev. & control, 513h  
   surg. therapy, 433q  
   therapy, 405q  
 DYSTROPHY, collagen lichenoid, 397c
- EAR**  
   abnorm., 524c  
   discharge, 437w  
   external, 385j, 519-1  
   hematoma, 519-1  
   hygiene, 502u  
   internal, 478s, 480h, 1, 526k  
   ossicles, 454k, 536q  
   tympanic membrane, 480h  
   wounds & injur., 509u
- EATING, 448m  
 ECHINOCOCCOSIS, 409r  
   pleural, 533c  
 ECLAMPSIA, 416b  
   eye, 452-1
- ECONOMICS MEDICAL, 438a, 513g  
   planning, 414a, 512c  
   types of practice, 409n
- ECTROMELIA infectious, 509-1
- ECZEMA, 495g  
   cosmetic asp., 413v
- EDEMA, 401n  
   etiolo. & pathogen., 400w, 519n  
   prev., 459b  
   therapy, 473p
- EDUCATION**  
   psychol., 464o, 528n, t
- EDUCATION MEDICAL, 517p, 1  
   plans, 472h
- EGG YOLK, allergy, 456u
- EIMERIA tenella, 496o, 500j
- ELBOW**  
   abnorm., 420s  
   dislocation, 414r
- ELECTRICITY, 446o,  
   eff., 523f  
   injur. eff., 520a, 526k
- ELECTROPHONIC effect, 478s
- ELEMENTS, isotopes, 446i
- ELEPHANTIASIS, 443q
- ELIOT, George, 413r
- EMBOLISM, 436d  
   femoral, 408s  
   gas, 410e  
   mesenteric, 512n  
   oil, 456n  
   pulmonary, 400h, 404q, 406j  
   therapy, 517k
- EMBRYOLOGY, 385t, 499n  
   chemistry, 386f  
   comparative, 499i  
   exp. stud., 385r, 386o, 472p
- EMBRYOTOMY, 470e
- EMETINE, 396i
- EMOTIONS, 478n
- EMPHYSEMA, 490t
- EMPYEMA, etiolo. & pathogen., 534h  
   therapy, 400g
- EMULSIONS, 461f
- ENCEPHALITIS  
   eye, 524a  
 ENCEPHALITIS EPIDEMIC, 512p  
   virus, 516a
- ENDOCARDITIS  
   infectious, 387d, 413f, 441d, 471i,  
   518g, j
- ENDOCRINE GLANDS  
   dis., 519e, f, g
- ENDOCRINE THERAPY, veterinary, 498-1
- ENDOCRINOLOGY, forensic, 430q
- ENDOLYMPHATIC hydrops, 475s
- ENDOMETRIOSIS, opl., 403m
- ENDOMETRIUM, pathol., 393i, k
- ENERGY, 462f
- ENGLISH people, 385e
- ENTEROTOXEMIA, 498b
- ENZYMES, 387n, 388d, 460n  
   Q-enzyme of potatoes, 388o
- EOSINOPHILS, 441m, 456k, 513e
- EPENDYMITIS myocitic, 448t
- EPHEDRINE, 481d  
   eff., 466-1
- EPIDERMODYPLASIA verruciforme, 391f
- EPIDERMOLYSIS bullosa, 503j, q, 504g
- EPIDIDYMIS, surgery, 533d
- EPILEPSY**  
   aura, 449o  
   diagn., 432w  
   in infants & children, 435w, 510r,  
   528b  
   in soldiers & sailors, 449q  
   pathol., 449c  
   myoclonus, 517f  
   therapy, 443j, 476q, 511i  
   traumatic, 405a, 489a
- EQUILIBRIUM tests, 451b
- ERGOT, 441p  
   preparations, 455e
- ERYSIPELOID, 406o, 534t  
   immunity, 434p  
   therapy, 406d, 414c
- ERYTHEMA  
   annulare centrifugum, 503n  
   multiforme, 416o  
   nodosum, 439v, 441f, 507u, 508o
- ERYTHROBLASTOSIS  
   fetal, 414k, 455h, 455i, 459r, 467k,  
   506k, 507e, 518o
- ERYTHROCYTES  
   count, in animals, 498r  
   eff. agents, 509g  
   sickle cell, 467h
- ERYTHRODERMA, 443h  
   desquamativum, 459k
- ERYTHROSIS peribuccal, 504b
- ESOPHAGOSCOPY, 458o
- ESOPHAGUS, 526d  
   dilatation, 454s  
   diverticula, 421g  
   perforation, 430m  
   stricture, 458o  
   surgery, 490p  
   tuberculosis, 480i  
   ulcer, 518g  
   varices, 411o, 436d, 518-1
- ESTROGENS, 525d  
   chemistry, 388-1, 501e, 1  
   eff., 429b, 462h, 466u, 481n, 516o  
   in urine, 387v, 516p  
   preparations, 393m, p, 470k  
   standardization, 468i  
   therapy, 416k, m, 469t  
   --veterinary, 498k, 536e
- ETHYLENE GLYCOL, eff., 395p
- EUSTROGLYCIDES, 500-1
- EVOLUTION, 448a
- EXANTHEMS, 504-1
- EXERCISE, 462r, 491p, 533k  
   eff., 385-1, 461r, 462g, 462j
- EXOPHTHALMOS, 435j  
   etiolo. & pathogen., 524o, 532v
- EXPLOSIONS, 477t, 509u, 514b  
   land mines, 490r, e, 532-1
- EXTREMITIES**  
   artificial, 491w  
   ischemia, 476i  
   paralysis, 523u, 524e  
   wounds & injur., 515j, 477o, 532i
- EXUDATES & TRANSUDATES, 385r  
   pathol., 527a, 532g
- EYELIDS**  
   ptosis, 453g
- EYES**  
   abnorm., 406i, 432q, 524c  
   accommodation & refraction, 452s,  
   454v, 479u, 525u  
   cysticercosis, 479-1  
   diagnostic significance, 397e  
   diseases, 397e, 443g, 510a, 514q

**EYES (cont'd)**

exam., 453b  
 foreign bodies, 417f, 479r  
 hygiene, 440d  
 muscles, 479p  
 paralysis, 435j, 449b, 452d  
 phosphene, 460g  
 softening, 452e  
 surgery, 452r  
 tumors, 453c  
 wounds & injur., 452i

**FACE**

anthropology, 385c  
 anthropometry, 389e  
 surgery, 437d, 474m  
 wounds & injur., 429u, v, 436n, 468g,  
 521c, 526f

**FALLOPIAN TUBES**

cancer, 424r  
 dis., 492m  
 insufflation, 410e  
 roentgenography, 505r

**FALLOPIO, 429a****FAMILY welfare, 527i****FASCIA**

transplantation, 424o

**FASTING**

metabolism, 388f

**FAT**

digestion, 462r  
 in insects, 387p, q  
 necrosis, 460d, 526v

**FATIGUE, 521m**

allergic, 455p  
 diagn., 450p  
 etiol. & pathogen., 438g  
 hypoglycemic, 511g

**FEAR, 524h, i****FEATHERS, 463d**

pigments, 463c

**FEEBLEMINDEDNESS, 406e, 420h, 529a, b,**

531o  
 etiol. & pathogen., 515g  
 forensic asp., 430u  
 mil. asp., 463j  
 vision, 523v

**FEMUR**

fractures, 417a, 423o, 491c  
 fermentation, 465g

**FERTILITY, 438h****FETUS**

asphyxia, 488i  
 impacted, 470e  
 membranes, 499e, 506d, 536e  
 retention, 505w

**FEVERS**

dengue-like, 521u  
 diagn., 521k  
 in infants & children, 458p  
 metabolism, 414-1  
 Q, 521o

**FIBRINOGEN, 516k****FILARIASIS, 477d, 521q**

diagn., 419f  
 in rats, 447v  
 therapy, 456d

**FINGERS & TOES**

clubbed, 433e  
 infections, 509r  
 surgery, 424k

**FINSINSTITUT, 414g****FIRST AID, 401d****FISHES**

parasites, 500p

**FISTULA**

aortic-esophageal, 397m  
 arteriovenous, 400m, 416v

esophagobronchial, 421q  
 gastrocolic, 494w  
 gastrojejunoecolic, 435d  
 oral, 390d  
 renobronchial, 518w  
 salivary, 532h  
 vasoeptididymal, 533d  
 vesicovaginal, 394e, 494v

**FLAGELLATA, 462v****FLAVINS, 387u****FLIES**

eradication, 535o  
 FLOCCULATION tests, 457q  
 FLOODS, 485n

**FLOUR, 513e****FLUORENE, 388t****FLUORIDES**

therapy, 391c, 429p, q,  
 toxicity, 484w

**FOLKLORE, 515o****FOOD**

analysis, 504s  
 calorimetry, 445v  
 poisoning, 485j, 519a, 522d, e  
 psychol. asp., 447j

**FOOT**

abnorm., 439g  
 deformities, 404j, 489d  
 dis., 439h  
 --in animals, 497i  
 flat, 406i, 422-1  
 in soldiers, 476v  
 surgery, 439g  
 wounds & injur., 490s, 532-1

**FOOT & MOUTH DISEASE**

epidemiol. & statist., 497n  
 virus, 426d, 496a

**FOREARM**

surgery, 406p

wounds & injur., 423g

**FOREIGN BODIES, 424e**

in air & food passages, 397m, 454v

localization, 421-1, 476w

**FORMULARIES, 431r****FOSTER KENNEDY (YNDROME, 452u)****FOUL CLAW, 497i**

4888 (antimalarial) 493h, i, k

4430 (antimalarial) 493f, h

**FOWL CHOLERA, 497j, k****FOWLS**

dis., 496k, 497j, k

**FRACTURES, 532-1**

compound, 402v, 416a

fatigue, 423c

spontaneous, 442i

therapy, 491c, 520e, h, 533b

**FRONTAL BONE**

pathol., 524b

**FRONTAL SINUS**

mycosis, 480m

pressure, 454b

surgery, 439n, 454d

**FROSTBITE**

cp1. & seq., 424c

therapy, 532r

**FRUCTOSE**

chem., 522v

**FRUITS & VEGETABLES**

extracts, 447o

juice, 505a, b

**FUNGI, 528f**

metabolism, 425o

**FUSOSPIROCHETOSIS**

therapy, 472u, 477q

- GALLBLADDER**  
 blood supply, 423m  
 calculi, 487u  
 cancer, 487u  
 dis., 444-1  
 excision, 4061  
 infl., 414s  
 Luschka's crypts, 456c  
 roentgenography, 421h
- GANGRENE**  
 etiol. & pathogen., 423r  
 gas, 410d, 488v  
 prev., 424c  
 therapy, 436t
- GANSER SYNDROME**, 402w
- GAS**  
 poisoning, 417k, 478k, 520a
- GASTROENTEROSTOMY**, 399q, 441b  
 technic, 412q
- GASTROINTESTINAL TRACT**  
 cancer, 392g  
 dis., 407e, 430-1, 432w, 435u, 477h, 512b  
 obstruction, 420b  
 roentgenography, 421g  
 surgery, 441b, 487t, 490e, 510m  
 tuberculosis, 413-1
- GELATIN**  
 bacteria, 485-1  
 sponge, 489j
- GENITALS**  
 abnorm., 393r  
 cancer, 386m  
 physiol. compar., 386e  
 prolapse, 412w  
 surgery, 533d  
 tuberculosis, 397u
- GENITOURINARY TRACT**  
 surgery, 423d, 494k  
 tuberculosis, 494k  
 wounds & injur., 494m
- GERMAN people**, 451c
- GERODONTOLOGY**, 390o
- GLANDERS**, 496v
- GLASS**  
 chem., 427t
- GLASSES**  
 contact, 453-1, 525n  
 protective, 480d
- GLAUCOMA**, 4511, 452d  
 etiol. & pathogen., 414r, 5221  
 pathology, 479m  
 surgery, 452m, q  
 therapy, 525r
- GLOBULIN**  
 gamma, 397n
- GLOTTIS**, 441u
- GLUCOSIDES**, 474r, 501m, o, p
- GLUTAMINE**, 447p
- GLUTATHIONE**  
 eff., 516e
- GLYCERIDES**, 388a
- GLYCOGEN**, 481o  
 in liver & muscle, 401o  
 metabolism, 500n
- GOATS**  
 dis., 496v
- GOITER**  
 heredity, 411n  
 prev., 441-1
- GOITER EXOPHTHALMIC**  
 etiol. & pathogen., 435j, 519s  
 therapy, 517e
- GONADOTROPINS**, 393o
- GONADS**  
 development, 481n
- GONIOGUIDE**, 491c
- GONOCOCCI**  
 culture, 465m  
 identification, 465k  
 toxin, 516f
- GONORRHEA**  
 cutaneous, 4311  
 experimental, 395s, 395t, 395u, 495-1  
 therapy, 4011, 415j, 495r
- GOUGEROT BLUM disease**, 503q
- GRANULOCYTOPENIA**  
 etiol. & pathogen., 414m, o  
 therapy, 506u, 511g
- GRANULOMA**, 503t, 515p  
 annulare, 504f  
 pyogenicum, 504a
- GRIEF**, 505e
- GROWTH**, 427c, d  
 human, 427b, d  
 exper. studies, 427b, f, 481n
- GUANIDINE**, therapy, 493e
- GUILLAIN BARRE SYNDROME**, 478k
- GUM**, 528f
- GUMS**  
 dis., 400s, 429j  
 hyperplasia, 389r
- GYNECOLOGY**, 485e  
 surgery, 469s  
 teaching, 470f
- GYROCOTYLE**, 500p
- HAIDENHAIN'S Fluid (eusa)** 480h
- HAIR**  
 abnorm., 443o  
 color, 398k
- HAND**  
 infections, 402k, 475w, 509r  
 osteolysis, 490q  
 wounds & injur., 410h, 475w
- HARELIP**, 428j
- HAY FEVER**  
 epidemiol. & statist., 412j
- HEAD**  
 allergy, 475s  
 roentgenography, 522f  
 wounds & injur., 400j, 441v, 443j, 449f, 450a, 491t, 512-1, 519s, 522q, 528b
- HEADACHE**  
 etiol. & pathogen., 404g, 415p, 449a, 475s  
 history, 469j
- HEALTH**  
 centers, 431u  
 education, 419t, 438k  
 resorts, 471v
- HEARING**  
 physiol., 466h, 478s
- HEART**, 509p  
 abnorm., 387d, 402f, 4231, 444p, 457j, 457u, 471q  
 beat, 4661, 467j, 4821  
 block, 409b, 439e, 477w  
 blood supply, 462p  
 calcification, 409u  
 catheterization, 481m  
 chemistry, 466c  
 dilatation, 3961, 518a  
 disease, 387g, 427-1, 433k, 473t, 511b, 512f, 526u  
 displacements, 477w  
 eff. drugs, 427m, 466s, 474r  
 electrocardiography, 385-1, 386v, 387a, b, g, 427j, 439c, 467j, 477w, 4821, 493o, 508b, k, 509b, 522b  
 folklore & history, 515o  
 infarction, 512a  
 innervation, 441n, 509m  
 insufficiency, 404r, 410e, 435n, u, 508t, 512g, 514v, 517t  
 metabolism, 482b  
 murmurs & sounds, 471m, 510m  
 perforation, 387d  
 physiol., 481m, t  
 rate, 399b, 403r, 459j, 4661, 508g, 518j

HEART (cont'd)  
 roentgenography, 4211, 5341  
 wounds & injur., 481t  
 HEARTBURN pregnancy, 469s  
 HEAT

eff., 508t  
 regulation, 433h  
 HELMINTHS & HELMINTHIASIS  
 therapy, 465v, 496j  
 HEMANGIOCTASIS  
 hypertrophic, 440j  
 HEMATOMYELIA, 441e  
 HEMIANOPSIA, 479e  
 HEMIPLEGIA, 451j  
 nursing, 451t  
 HEMOCHROMATOSIS, 472v  
 pulmonary, 515p  
 HEMOGLOBIN, 462a, 481s  
 blood donors, 435q  
 carboxy-, 462b  
 determ., 438f  
 methemoglobin, 433g, 435h  
 normal values, 523g  
 oxy-, 462j

HEMOGLOBINURIA  
 myohemoglobinuria, 435k  
 paroxysmal, 433f  
 HEMOLYSIS, 461e  
 cold, 433f  
 light, 422f

HEMOPNEUMOTHORAX  
 spontaneous, 510g  
 HEMOPOIETIC SYSTEM  
 irradiation, 502s

HEMORRHAGE  
 blood, 441a  
 eff., 514-1  
 pathol., 461u  
 secondary, 424b  
 therapy, 489i

HEMOSTASIS, 400n, 489j, 519c, 521c

HEMOTHERAPY  
 veterinary, 534w

HEMOTHORAX  
 spontaneous, 397m

HEPARIN  
 therapy, 488c, 532r

HEPATORENAL SYNDROME, 414s

HEREDITY  
 congresses, 523c  
 in disease, 456t  
 in plants, 523m  
 mechanism, 393a, c, d, 523g

HERNIA  
 caudal, 422t  
 opl. & seq., 401-1  
 diaphragmatic, 488w, 514w  
 femoral, 442u, 474r  
 inguinal, 514r, 521-1  
 internal, 423q  
 epigastrian, 510n

HERPES  
 immunity, 509-1  
 simplex, 504b  
 zoster, 454j

HIP  
 dislocations, 476d, 489-1, 490s, w,  
 520g, i  
 osteomyelitis, 490s

HIRST'S PHENOMENON, 407m

HISTAMINE  
 determ., 466g  
 eff., 466w

pathol., 415p

HISTIDINE, 526t

HISTOLOGY  
 methods, 468v, 500u

HISTOPLASMOSES  
 therapy, 516d

HODGKIN'S DISEASE, 409a

diagnosis, 506w  
 therapy, 421-1

HOO CHOLERA  
 virus, 536c

## HOMICIDE

psychiatric asp., 430s, u

HONG KONG, 406h

HOOKWORM INFECTION, 421n, 477f, 500j  
 epidemiol. & statist., 521p, 525b

HORMONES, 406t, 474e

antihormones, 4001

sex, 447u, 498-1

standardization, 467p

HORSES, 535k

breeding, 458d

dis., 496v

HOSPITALS, 524u

administration, 431v

cancer, 411w

diabetics, 527k

economics, 432b, 512c

gynecologic, 485e

history, 430g

in Mexico, 430g

in Oklahoma, 512c

in Rhode Island, 443v

maternity, 431j

--Boston Lying-In Hosp., 401e

military, 417f, 522f

naval, 522m

pediatric, 527k

physical medicine, 431w

psychiatric, 432a, 450u

staff, 432b

HOUSING, 407t, 420g, 485f

public health asp., 410t, 420e, 440q

HOWARD DOLMAN test, 452q

HYBRIDITY, 426j, 426-1

HYDRASTIS, 481e

HYDRAZINE, 447c

HYDROCARBONS

halogenated, 417g

toxicity, 460h

HYDRONEPHROSIS

opl. & seq., 401c, 495b

HYDROTACHYSTEROL, 511j

HYGIENE

personal, 419u

HYPERTELORISM, 515s

HYPNOSIS, 404n

therapy, 521w

HYPOTHALAMUS

diseases, 450e

HYSTERIA

forensic asp., 430s

in infants & children, 399g

therapy, 417d

ICE CREAM, 419q, 485a

poisoning, 485j

IDIOCY

amaurotic familial, 396t

ILLEGITIMACY

psychol. asp., 448w

IMAGINATION, 448e

IMIDAZOLES, therapy, 479v

IMMUNITY, 385s, 471b, 5161

heredity, 478-1

mechanism, 509-1

statistics, 464n

IMPETIGO, 444g

IMPOTENCE, 408g

therapy, 533d

IMPREGNATION, artificial, cattle, 496j

INCISIVE CANAL

cysts, 390f

INDENES, 501-1

INDIANS

pathol., 449m

psychol., 464f

INDUSTRY & OCCUPATIONS

can manufacturing, 395k

diseases & poisons, 3951, j, k, 404u

439d, 451c, 452g, 471p, 510a, 512a

efficiency, 463q

# INDUSTRY & OCCUPATIONS (cont'd)

hygiene, 3951, 1, 446h, 485o  
 med. & surg., 400h, 403a, 415u  
 mortality, 485r  
 welding, 395-1  
 wounds & injur., 395f  
 INFANTICIDE, 430q  
 INFANTS  
 care, 431v  
 feeding, 525e, 527w  
 mortality, 397-1, 531o  
 newborn, 393n, 405-1, 408w, 469n, 486w  
 nutrition, 440m, 441j, 460b  
 premature, 4591  
 INFECTION, 493n  
 droplet, 395p, 405t  
 epidemiol. & statist., 399s  
 experimental, 441p  
 focal, 434v, 494q, 502d  
 mixed, 490w  
 nutrition factor, 516n  
 INFLAMMATION, 527a  
 INFLUENZA  
 allergy, 459v  
 cpl. & seq., 436p  
 epidemiol. & statist., 419e, 1  
 vaccine, 436c  
 virus, 477s, 516e  
 INFRA RED RAYS  
 injur. eff., 452h  
 therapy, 399-1  
 INHALATION therapy, 518u  
 INJECTIONS, 390h  
 cpl. & seq., 405t  
 intravenous, 437a, 473e  
 INNOMINATE BONE, 476d, 490w  
 INSANITY, 479h  
 confusional, 434m  
 delusional, 430w  
 presenile, 525w  
 INSECTICIDES, 496-1, 524v, 535j, 535o  
 eff., 467o  
 INSECTS  
 anat. & histol., 499q  
 chem., 387p, q  
 transmission of dis., 507-1  
 INSOMNIA  
 etiol. & pathogen., 403f  
 INSTRUMENTS, 491c, 494n, 510u, 525v  
 dental, 390m  
 INSULIN  
 eff., 461t  
 supply, 519b  
 test, 494s  
 INSURANCE  
 life, 517u  
 sickness, 414a, 443w, 473f  
 INTELLIGENCE, 397-1  
 INTESTINES  
 abnorm., 456f, 487p  
 absorption, 4691  
 achalasia, 487-1  
 bacteriol., 425h, 492m  
 cancer, 436s, 474o  
 dis., 412b, 492n, 515p, 527f  
 --in animals, 497h  
 diverticula, 474r  
 drainage, 451h  
 eff. drugs, 445n  
 obstruction, 401-1, 403m, 434e, 487p, 512c, 532j  
 parasites, 433w, 443c, 485v, 507h  
 --in animals, 498j  
 physiol., 462r  
 polyps, 487k  
 surgery, 435d  
 transplantation, 424q  
 tuberculosis, 493u  
 tumors, 411v, 412b, 433s, 436t, 487k  
 wounds & injur., 417j  
 INTROSPECTION, 416k  
 INTUSSUSCEPTION  
 etiol. & pathogen., 411v, 433s  
 IODINE  
 toxicity, 503j

547

# IONIZATION, 446r, 519g

IRIS  
 displacements, 479m  
 pigmentation, 431c  
 IRON  
 sulfate, 481e  
 therapy, 460u  
 IRON WORKERS, 439d  
 ISOTONIC SOLUTIONS, 461g

# JAUNDICE

catarrhal, 437m, 469o, 475e, 477h  
 516p, 519n  
 etiol. & pathogen., 405t, 525b  
 in infants & children, 400w  
 in newborn, 403-1  
 in pregnancy, 432o, 434b, 511n  
 metabolism, 467e

# JAWS

anthropology, 385c  
 cysts, 389n, 390f, 502f  
 deformities, 502m  
 development, 428d, h  
 fractures, 428n, 468h, m, 489-1  
 occlusion, 389e, 390j  
 prosthesis, 428k  
 surgery, 389m, 468m, n, 474m, 502m  
 temporomandibular joint, 502c, d  
 tumors, 428j  
 wounds & injur., 429u, v, 436n, 468g, 468n

# JOINTS

dis., 420v  
 exam., 491q  
 mobility, 491p  
 tuberculosis, 489m  
 wounds & injur., 397v, 514m  
 JURISPRUDENCE MEDICAL, 436h  
 testimony, 392r

# KAOLIN

therapy, 423f

# KERATITIS

etiol. & pathogen., 452f, g  
 pustuliformis profunda, 404g

# KERATOSIS palmaris, 503j

# KETONES, 387j

# KIDNEY

abnorm., 404q, 439o, 494r  
 blood supply, 462d  
 calculi, 495b, 518w, 532t  
 cancer, 407c, 457b, 495f  
 decapsulation, 404q, 439u  
 disease, 439u, 494w  
 in pregnancy, 511m  
 ectopic, 470d  
 extract, 467c, 509c  
 function tests, 494s  
 horseshoe, 457b, 495b  
 innervation, 494j  
 insufficiency, 456e, 515q  
 pathology, 397w, 420w, 435m, 456h, 526t, w  
 pelvis, 495e  
 physiol., 406e, 461u, 462d, 472f, 481r, 507s, 5081, j  
 surgery, 494j, w  
 tuberculosis, 493v, 494w, 513j  
 tumors, 494h, 517p  
 KILLIAN polyp, 526m  
 KINESTHESIS, 407t  
 KLIPPEL TRENAUNAY syndrome, 440j  
 KORSAKOV syndrome, 430r  
 KRAUSE technic, 489a, 532d

**LABOR**  
 cpl., 405g, 439n, 470b, d, 505p  
 diagn., 431m  
 induced, 511q  
 management, 405k  
 mechanism, 511n  
 premature, 394e  
 presentation, 408j  
 version, 505o

**LABORATORY ANIMALS**  
 cages, 497o, p

**LABORATORY APPARATUS, 478e**  
 methods, 430h, 507f

**LACQUER WORKERS, 452g**

**LACRIMAL ORGANS**  
 dis., 518p  
 physiol., 513-1  
 surgery, 479r  
 tumors, 526m

**LACTATION**  
 diet, 516t  
 regulation, 469t

**LARYNGOTRACHEITIS in poultry, 496k**

**LARYNX**  
 paralysis, 441u, 454-1, 455e  
 surgery, 490a, 525c  
 tuberculosis, 441i

**LATEX, staining, 468u**

**LEAD**  
 determ., 427t  
 toxicity, 395k, 408v, 455f, 500d

**LECITHIN, 516c**

**LECITHINASE, 387n**

**LEDERER BRILL SYNDROME, 396j**

**LEGISLATION, 447w**  
 dental, 502k

**LEISHMANIASIS**  
 diagn., 442u, 443h  
 exper., 516i  
 therapy, 442w, 485v, 517h

**LENS CRYSTALLINE**  
 dislocations, 452t, 453d  
 physiol., 453g

**LEONTIASIS osium, 421t**

**LEPROSY**  
 diagn., 391-1  
 occupational therapy, 507n  
 preventoria, 507m  
 transmission, 507-1, n  
 therapy, 507o  
 tuberculoid, 503e, 503e, h

**LEUCINE**  
 metabolism, 481r

**LEUKEMIA**  
 aleukemic, 476e  
 cpl. & seq., 397w, 471o  
 exper. stud., 462q  
 in animals, 535e  
 lymphatic, 412f, 457s  
 myelogenous, 508e  
 pathol., 471a  
 therapy, 421u

**LEUKOCYTES**  
 agglutination, 471a  
 antisera, 394w  
 count, 509w, 516t, 527a  
 immunity, 509-1

**LEWANDOWSKY LUTZ disease, 391f**

**LIBRARIES**  
 dental schools, 429b, c, d  
 hospital, 394p, 432a  
 medical, 517o  
 personal, 517o

**LICHEN, 397c, 495g, 503f, k**  
 atypical, 522c

**LIGHT**  
 absorption, 445u  
 eff., 391m  
 hemolysis, 422r  
 injur. eff., 452j, 479n, o  
 therapy, 414h

**LIGHTING, 395e, 432g**

**LIME, 427v**

**LIPASE, 526v**

**LIPIDALIC therapy, 438t**

**LIPIDS**  
 metabolism, 387t  
 phospholipids, 429s

**LIPS**  
 surgery, 468i  
 tumors, 389h

**LISTERIA, 516i**

**LITERATURE, 413r, 513v, 517n**

**LITHIUM bromide, 481e**  
 chloride, 463b

**LITOMOSOIDES carinii, 447v**

**LIVER**  
 abscess, 439b, 511c  
 blood supply, 423m  
 cancer, 456-1, 489s, 439b  
 cirrhosis, 404k, 518-1, 519o, 526q  
 dis., 367-1, 401h, 417-1, 432o, 515h  
 echinococcosis, 487p, 489s  
 eff. drugs, 441h  
 exam., 444u  
 extract, 457d, 511d  
 fats & lipoids, 387t, w, 447p  
 function tests, 388b, 400i, 437s, 495q, 509v

**LOBSTERS, 385s**

**LOCOMOTION, 462r, 467q**  
 restraint, 450j

**LONGITUDINAL SINUS, 478n**

**LUMINESCENCE, 447c**

**LUNGS**  
 abscess, 413g, 442f, r, 477a, 514r  
 blood supply, 442q  
 cancer, 437i, 487n  
 collapse, 469v, 489i, 527f  
 cysts, 460g, 471k, 534c  
 dis., 401s, 493o, 510d  
 echinococcosis, 422f  
 edema, 417k, 471v  
 exam., 397o  
 foreign bodies, 424g  
 infection, 433r  
 pathol., 421p, 441m, 456k, 457-1, 460h, 518s  
 pressure, 518a  
 roentgenography, 421f  
 surgery, 534c  
 syphilis, 493v, 533s  
 tumors, 510h, 511f  
 --in animals, 536f  
 wounds & injur., 512k

**LUPUS ERYTHEMATOSUS, 502v, 503b, g,**  
 503s, 504c, n, 1, 509d

**LUSCHKA'S CRYPTS, 456c**

**LYMPH NODES**  
 atrophy, 456e  
 cancer, 421a  
 tuberculosis, 534d

**LYMPHANGITIS**  
 mesenteric, 433t  
 retroperitoneal, 495d

**LYMPHATICS**  
 spleen, 499k

**LYMPHOCYTES**  
 count, 456e

**LYMPHOGRANULOMA**  
 venereum, 396o, 399o, 475e, 476h, 520v

**LYSOCITHIN, 467h**

**LYSOL**  
 toxicity, 456n

**MACROZAMIA denisoni, 407p**

**MACULA lutea**  
 pathol., 452j, 452m, 479n, o

**MADAR**  
 toxicity, 497a

**MAGNESIUM**  
 determ., 460q  
 phosphate, 481f



**MALARIA**

avian, 395q, v, 478j  
 bat, 419d  
 blood transfusion, 445g  
 chronic, 509a  
 in Mexico, 406w  
 epidemiol. & statist., 486f, g  
 etiol. & pathogen., 396c  
 eye, 525v  
 immunity, 395v, 485s  
 in infants & children, 434-1, w,  
 460a  
 manifest., 473c  
 nutrition, 395q  
 plasmodium, 395v, 514b  
 prev. & control, 434w  
 quartan, 443i  
 recurrent, 396b  
 relapse, 447v  
 spleen, 407n  
 tertian, 396h  
 therapy, 396b, 403r, 433m, 486h,  
 492q, r, t, u, w, 493e, f, h, i, k,  
 501h, l, r

**MALAYS**, 385c

MAN primitive, 514q

**MANGANESE**

eff., 482c

**MARGARINE**

vitamines, 427q, 447i

MARRIAGE, 463k, 505e, 505f

**MASTOID**

anat. & histol., 480o

**MATERNITY**

overprotection, 444r

teaching, 431v

welfare, 527j, n

**MAXILLARY SINUS**

calculus, 389r

cancer in animals, 498o

dis., 526i

tumors, 454o

MEAT supply, 497f

**MEDIASTINUM**

tumors, 437i

MEDICAL CARE, 431s, 438p

**MEDICINE**, 476p

experimental, 520q

history, 404r, 432u, 445i, 470n, o, p

486o, 517u, 520q

in France, 470n, o, p, 476-1, m, n

in Great Britain, 397o, 434d

in Siam, 433t

institutes, 520r

politics, 514k

rural, 408q, 425e, 436q

social asp., 397o, 420f, 433o, 459k

**MELANIN**, 463c**MELIOIDOSIS**, 455g**MENINGES**

syphilis, 449b

tuberculosis, 441w, 445b, q

**MENINGITIS**

cerebrospinal fl., 459t

opl. & seq., 409v

influenza, 403k, 458n, 527q

mortality, 455h

mycotic, 448t

pneumococcal, 398v, 407h, 449j,

513d

therapy, 459h, 471p

**MENINGOCOCCI**

infections, 459h, 508n

**MENINGOENCEPHALITIS**

etiol. & pathogen., 475e

**MENOPAUSE**

therapy, 393g, m

**MENSTRUATION**, 393j

disorders, 394b, 412p, 439p, 491i

**MENTAL DISEASES**

diet, 515u

statistics, 450u

therapy, 434e, 436o, 449r, 492o

**MENTAL HYGIENE**, 419u, 459o

teaching, 524m

veterans, 463g

**MENTAL TESTS**, 448j, 463h, t

bilingualism, 528p

military, 464a

Rorschach, 416w

**MERCURY**, 481f

bichloride, 475-1

eff., 387n, o

ointments, 495m

toxicity, 439q, 456h

**MESENTERY**

blood supply, 512n

**METABOLISM**, 387j, 433h

disorders, 512-1

intermediary, 462r

statistics, 426s

**METALS**

allergy, 404u

eff., 473m

**METAMORPHOSIS**, 499e

eff. drugs, 472m

**METATARSUS**

fractures, 488t

**METEOROLOGY**, 484k**METHIONINE**, 447n**METHYL ALCOHOL**, 501j

toxicity, 519o, 469f

METHYL GROUP, toxicity, 469f

METHYL IODIDE, toxicity, 395e

METHYLCHOLANTHRENE, 445k

METHYLENE BLUE, 427e

**METRAZOL**

chem., 388s

therapy, 488b

**METRIC SYSTEM**, 407g

MICROFILM, 445u, 523d

**MICROORGANISMS**

chem., 427p

MICROSCOPE electronic, 472a

MICROTOME, 446p, 478c

MIDWIVES, 451s

**MIGRAINE**

etiol. & pathogen., 402b

history, 469j

therapy, 455e

MILIARIA, 407-1, 503g

MILITARY MEDICINE, 406h, 515j, 521k,

522f, p

anesthesia, 490m

bacteriol., 486s

blood transfusion, 520b, 521w

cardiovascular dis., 473t

dermatology, 522c

history & bibliography, 517r

in Burma, 477e

in New Guinea, 407f

neuropsychiatry, 410c, 417d, 417e,

463j, 464a, j, 477i, j, k, 515t

otology, 509u

personnel, 416u, 417b

physical med., 491o, 521u

rehabilitation, 492g

roentgenography, 421j, 476u

surgery, 408s, 417o, q, r, 423j, 491e

519c, 521f, 522a, 532s

underground, 4761, m, n

wounds & inj., 490r, s, 491e, 494m,

514b

**MILK**

acidified, 432v

bacteriol., 466a, 497r

calcium, 419q

certified, 508p

fat, 388a

pasteurization, 419p

proteins, 471w

supply, 458b

**MINERALS**

metabolism, 406m, 414g, 458g

MINES & MINERS, 437t

**MITRAL VALVE**

regurgitation, 510a

MITSUBA REACTION, 533q

MODELS, 432t

manikins, 431j

- MOLDS**, 427b  
   metabolism, 465g  
**MOLLUSCUM**  
   contagiosum, 434i  
**MOLYBDENUM**  
   toxicity, 536-1  
**MONILIASIS**, 448t  
**MONONUCLEOSIS**  
   infectious, 413u, 509b  
**MONSTERS**, 506g  
**MONTENEGRO TEST**, 442u  
**MORPHINE**  
   addiction, 414a  
   eff., 466t, 488m  
**MOSQUITOES**, 462w  
   dissection, 486f  
   eggs, 485s  
   eradication, 396b, 486g  
   in Colombia, 419d  
   in Italy, 396d  
   in Morocco, 486e, 507i  
   in Spain, 485r  
**MOUTH**  
   calculi, 390-1  
   cancer, 390v, 412g  
   dis., 390o, 428s, 429h, 430b  
   hygiene, 429q  
   leukoplakia, 391b, 413-1  
   pathology, 428e, 429g, 443u  
   roentgenography, 389i, 390a, 468d  
   surgery, 389s, 468i, 502a  
**MOVEMENTS**  
   exam. charts, 491q  
   disorders, 513q  
   motion sickness, 385k  
**MOVING PICTURES**, 463h  
**MUCOUS MEMBRANE**  
   dis., 460c  
**MUSCLES**  
   anat. comp., 536r  
   chem., 462i, 466e, j, 482d, h  
   dis., 489o, 499t  
   exam., 439o, 491q  
   gastrocnemius, 481k  
   histol., 466k  
   innervation, 386i, 482f, g, 489o,  
     500d, 510b  
   pain, 475s  
   pathol., 516j, v, 517q  
   physiol., 385m, 466k, 481k, 482f,  
     509h, 510b, 517a  
   rectus abdominis, 394d, 533g  
   spasm, 533g  
**MUSIC**, 463j, 479g  
**MYASTHENIA**  
   gravis, 394e  
**MYCETOMA**, 465d, 466r, 478a  
**MYCOLYSIS**, 528f  
**MYCOSIS**  
   cutaneous, 400c, e, 502t, w  
   dental, 429r  
   fungoides, 503w, 504k  
   mixed infection, 490w  
   prev. & control, 509o  
   pulmonary, 510h  
   therapy, 522-1  
**MYIASIS**  
   cutaneous, 490b  
**MYOCARDITIS**  
   etiol. & pathogen., 433a  
   meningococcic, 508n  
**MYOPIA**, 453c  
   therapy, 453j  
**MYOSITIS**  
   ossificans, 472g  
**MYTHOLOGY**, Creation, 385d
- NAILS**  
   diffusion, 503a  
   dis., 503-1  
**NAPHTHALENES**, 501k, l  
**NAPHTHOQUINONE**  
   therapy, 429n  
**NARCOLEPSY**, 450r, 454g  
**NASOPHARYNGOSCOPE**, 454f  
**NAUSEA**  
   therapy, 416m  
**NAVAL MEDICINE**, 385h, 477d, 522m  
   hygiene, 420e  
   personnel, 522k  
   roentgenology, 477v  
   surgery, 477u  
**NECK**  
   tumors, 489c  
   wounds & injur., 521c  
**NEGROES**  
   diseases, 474j  
   mortality, 531t  
**NEMATODES**  
   metabolism, 500-1, n  
   Strygamidae, 500m  
**NEPHRITIS**, 458t, 521b  
   cpl. & seq., 402e  
   edema, 444n  
   glomerular, 402n, 413m  
**NERVES**  
   blocking, 532i  
   degeneration & regeneration, 386i  
   478-1, 524e  
   glossopharyngeal, 448r  
   motor, 448j, 478v  
   obturators, 520i  
   optic, 439t, 500a  
   peripheral, 477n, 532k  
   phrenic, 442r  
   radial, 533a  
   roots, 427k, 481p  
   sensory, 533j  
   spinal, 511v  
   vagus, 532i  
**NERVOUS SYSTEM**  
   anat. & histol., 468t, v, 499-1, s,  
     500a  
   development, 499e, v  
   diseases, 449o, 489o, 519s, 527b  
   metabolism, 478u  
   pathol., 478i  
   physiol., 386i, 458c, 478r, u, 509h  
   roentgenography, 421h  
   surgery, 424d, 522a, 524d  
   wounds & injur., 449f, 477n, 509h  
     533j  
**NERVOUS SYSTEM SYMPATHETIC**  
   anat. & histol., 499-1, v, 500u  
   blocking, 408r  
   eff. drugs, 466-1  
   tumors, 412c  
**NEURALGIA**  
   causalgia, 424d  
**NEURASTHENIA**, 455p  
**NEURITIS**  
   multiple, 513f, 520u  
**NEUROFIBROMATOSIS**, 428i  
**NEUROLOGY**  
   history, 449n  
**NEURONS**  
   pathol., 427k  
**NEUROPSYCHIATRY**, 385n  
**NEUROSECRETION**, 499-1  
**NEUROSES & PSYCHONEUROSES**, 491t  
   etiol., 449s  
   experimental, 401g, 450r  
   in armed forces personnel, 416w  
     477j, 521w  
   in infants & children, 524i  
   in students, 445d  
   manifestations, 519t  
   nasal, 454c, 478m  
   sexual, 408g  
**NEUROSYPHILIS**, 503u  
   diagn., 432w  
   therapy, 406v

- NEVI, 503e, f, 504-1  
opi. & seq., 503b
- NICOTINE  
substitutes, 496-1
- NICOTINIC ACID  
therapy, 510b
- NISULFADINE, 473j
- NISULFAZOLE, 473j
- NITRATES, 387n, o
- NITRITES  
toxicity, 410o, 528j
- NITROGEN, 518a, 523m  
metabolism, 462j
- NOISE  
injur. eff., 526d
- NOMENCLATURE, 476j, 499h
- NOSE  
decongestion, 474n  
discharge, 454c  
foreign bodies, 526k  
psychosomatic aspect, 478m, 454o  
septum, 454n, 480k  
surgery, 526-1  
tumors, 454s, 526j  
wounds & injur., 468-1, 521b
- NOSEDROPS, 454u
- NUCLEINS, 386d
- NUCLEOTIDES, 387u
- NURSERY, 527m  
communicable dis., 405t  
hygiene, 448m
- NURSES & NURSING, 451-1, 524p  
educ. & training, 431q, 525g  
hospitals, 451j  
industrial, 451n  
military, 417s  
posture, 451k  
public health, 451v, w  
recruitment, 525c  
schools, 394q
- NUTRITION, 436p, 484k  
disorder, 407s, 433k, 440n, 444g, 532j  
in Japan, 521r  
industrial asp., 484-1  
surveys, 482i, 484m  
vitamin suppl., 509t
- NUTTALLIA, 498c
- NUX VOMICA, 481f
- NYSTAGMUS, 448w, 478j
- OBSTETRICS, 469n  
statistics, 405s
- OCCUPATIONAL THERAPY, 432b
- OENETHYL, 488n
- OESTRUS ovis, 497s, u
- OIL  
essential, 504v  
palm, 507o  
sulfated, 502u
- ointments, 406d
- OLD AGE  
care, 437q  
diseases, 399g  
gerodontology, 390o  
physiol., 452s  
surgery, 439i  
tonsils, 400j
- OLIVE OIL, 456j
- OLIVINE, 457-1
- OPHTHALMOLOGY  
hygiene, 525-1
- OPIMUM extract, 481g
- OPTIC CHIASM  
dis., 452u  
tumors, 452h
- OPTIC TRACT  
dis., 452w
- ORBIT  
Tenon's capsule, 525q  
varices, 435g  
wounds & injur., 405r
- OROGENITAL SYNDROME, 404a
- ORTHOPEDICS, 417q, 437n  
appliances, 532k  
history, 401u  
nursing, 524u
- ORTHOPTIOS, 436g, 453j,
- OSTEITIS DEFORMANS  
pathol., 404n, 435n
- OSTEOARTHRITIS  
deformans in cattle, 535d
- OSTEOMALACIA  
in cattle, 535e
- OSTEOMYELITIS, 510o  
etiolo. & pathogen., 424o  
therapy, 397a, 443-1, 489s
- OSTEOPOROSIS  
posttraumatic, 423g
- OTITIS  
classification, 526j  
in aviators, 453s, t, u, v, w, 454a
- OTITIS MEDIA  
acute, 410k  
in infants, 519-1  
suppurative, 480o  
therapy, 454m, 480j
- OTOLARYNGOLOGY  
surgery, 410i
- OTORHINOLARYNGOLOGY  
in Brazil, 403u
- OTOSCLEROSIS  
pathol., 454k, 515a
- OVARY  
anat. & histol., 470j  
cancer, 489b  
cysts, 416h  
dermoid, 402a  
hormones, 518w, 525h  
theca-cells, 394b  
tumors, 444g, 457s, 458t, 469n, v, w, 475h, 505v, 506n
- OVULATION  
in vitro, 386f  
induced, 462e
- OVUM  
development, 463b  
irradiation, 447t  
metabolism, 463a  
pre-implantation, 499n
- OXAZOLES, 501d
- OXIDATION REDUCTION, 386f
- OXINDOLE
- OXYGEN  
analyzer, 488p  
deficiency, 385-1, m, 395-1, 447v, 478i  
metabolism, 461v, 462a, 478t  
pressure, 386w  
therapy, 417k  
toxicity, 462a, j
- OXYURIASIS, 459w
- OZERETSKY TESTS, 448j
- PACIFIC REGION, 425d
- PAIN, 518v  
pathways, 511v  
vasodilating pain syndrome, 475s
- PALATE  
abnorm., 502n  
oleft, 390e, 428j
- PALMO MENTAL SIGN, 449o
- PALUDRINE  
determ., 493h
- PANCREAS, 469e  
blood supply, 423m  
enzymes, 447p  
excision, 411j  
islands, 404v, 440p  
secretion, 461r  
tumors, 404v, 436g, 532w

**PANCREATITIS**

acute, 509w, 518f  
blood, 424m  
etiolo. & pathogen., 489g  
hemorrhagic, 526e

**PAPAVERINE**

therapy, 470v  
PARAFFINE, 499q  
PARALYSIS, 489o  
cerebral, 459d  
congenital, 479t  
diphtheritic, 434k  
facial, 513q  
in animals, 498t  
oculo facial, 479t  
oculomotor, 525s  
periodic, 479b  
peroneal, 413w  
radial, 520j  
spastic, 450e

**PARAMECIUM**

aurelia, 462u  
trichocysts, 386b

**PARAPORTIASIS****PARASITES**

in animals, 458j, 496s

**PARATHYROID**

hyperparathyroidism, 487w, 515q  
insufficiency, 392n  
tumors, 409d  
therapy, 459h

**PARKES WEBER DISEASE****PARKINSONISM**

therapy, 513q

**PAROTID GLAND**

cancer, 533e

**PAROTITIS**

opl., 433a  
etiolo. & pathogen., 413g  
PASTEURISATION, 497j, k

**PATELLA**

subiti, 420s  
fractures, 477o

**PATIENT**

psychology, 436w

**PATTE METHOD****PECTIN**

388n, 447d  
therapy, 523-1

**PEDIATRICS**

surgery, 406m, 520k

**PEDICULI**

delousing, 485b  
mjobergi, 497t

**PELLAGRA**

396k, 524w  
epidemiol. & statist., 513n  
etiolo. & pathogen., 517m  
therapy, 460b

**PELVIS**

cellulitis, 505-1  
fractures, 423c  
surgery, 510u  
tumors, 412k  
wounds & injur., 478d, 487w

**PEMPHIGUS**

503c  
opl. & seq., 503b  
foliaceus, 397f

**PENICILLIN**

391a, 398p, 413d, 439k,  
457p, 41-1, 520g, 521m  
admin., 400b, 403-1, 405p, 423e,  
429h, 432c, 451w, 460-1, 477q,  
514a  
chem., 460-1, 465f  
contaminants, 465e  
eff., 413, 417h, 466p, 516f, 1  
preparations, 406d, 408b  
production, 465g  
standardization, 457h, 460o  
synergists, 405n  
therapy, 396-1, 407k, 411m, 413d, e,  
423d, 434h, 444h, 454j, 455u,  
466m, 469u, 497g, 506u, 516f  
--veterinary, 498s, 536h  
toxicity, 405t, 502v  
PENICILLINASE, 466-1

**PENIS**

cancer, 386m, 513t  
dis., 439j

**PENTOSE**

determ., 504r

**PEPSIN****PEPTIC ULCER**

473p, 518g  
diagn., 477f  
exper., 469g  
in infants & children, 459i  
in soldiers, 477g  
pain, 511k  
pathol., 398f, 399a  
perforated, 423f, 424h, 439b, 490j,  
511k  
prev., 469d  
recurrent, 423s  
therapy, 402i, 437e

**PERCEPTION**

form, 479u

**PERFUSION**

apparatus, 447e

**PERIARTERITIS**

nodosa, 402q, 504g

**PERIARTHRITIS**

cervical, 401n

**PERICARDITIS**

adhesive, 489w  
in cattle, 496w  
therapy, 387b

**PERICARDIUM**

diverticula, 421r  
hemorrhage, 407o  
tuberculosis, 396i

**PERINEPHRITIS**

413m

**PERIODONTITIS**

bacteriol., 468d  
therapy, 468e, g  
PERIODONTIUM, 389d

**PERITONEUM**

tuberculosis, 397u

**PERITONITIS**

biliary, 412u  
etiolo. & pathogen., 506h

**PERSONALITY**

psychopathic, 442h, 464i, 479h  
tests, 448k, 464g, h, 528o

**PHAGOCYTES & PHAGOCYTOSIS**

470w

**PHARMACOLOGY**

enzyme theory, 460n  
teaching, 472i, 511h

**PHARYNGOSTOMA**

490a

**PHEMEROL**

535a

**PHENANTHRENE**

501h, 1, n

**PHENOL**

447q  
eff., 465m, 484r

**PHENOLPHTHALEIN**

tetraiodo., 442p

**PHENOTHIAZINE**

496j, 1

**PHENYLALANINE**

460p

**PHLEBITIS**

opl. & seq., 408r

**PHLEGMON**

interdigital in animals, 497i

**PHOBIA**

524h

**PHOSPHATASE**

388d, 442d, 499e

**PHOSPHENE**

466g

**PHOSPHORUS**

chem., 388m  
metab., 466j, 481w  
radioactive, 421t, 473i, 487e  
toxicity, 387b

**PHOTOGRAPHY**

431r

**PHYSICAL EDUCATION**

444g

**PHYSICAL MEDICINE**

407m, 431w, 491t  
519e, 521u  
equipment, 492g  
history, 492f  
--Am. Physiother. Assn., 492f  
psychol. asp., 491n  
teaching, 492h

- PHYSICIANS, 517u, 520q  
   women, 408f, 444c, 515e  
 PHYSICS  
   history, 447a  
 PHYSIOGNOMY, 385c, 519r  
 PHYSIOLOGY  
   histochemistry, 462p  
   PHYSOSTIGMINE, 528h  
   PHYTONCTIDE, 468e  
   PIGMENTATION, 463d  
     cutaneous, 503n  
   PIGMENTS, 463c  
   PILOCARPINE, 513-1  
   PILONIDAL SINUS, 423p  
   PINEAL GLAND  
     tumors, 450a, f  
   PIPER, 504u  
   PIPERIDINE  
     eff., 466t  
   PIROPLASMOSIS, 498c  
     therapy, 536h  
   PITUITARY, 511a  
     anat. & histol., 499p  
     dis., 401m, 469s  
     eff. of removal, 456b  
     physiol., 393o, 499p, 516f, o  
     secretion, 532v  
   PITUITARY PREPARATIONS  
     eff., 385u  
   PITYRIASIS, 503c, 504c, h  
   PLACENTA  
     adherent, 505s  
     chemistry, 499c, e  
     previa, 436j, 474j, 510i  
     premature sep., 436j, 510i  
     retained, 409i, 497b, f  
   PLANELIES SOLUTION, 459u  
   PLANTS  
     ecology, 536p  
     preservation, 528k  
     skin diseases from, 456s  
 PLEURA  
   bacteriol., 513d  
   echinococcosis, 533o  
   infection mixed, 490w  
   syphilis, 533s  
   tuberculosis, 513d  
   tumors, 471o  
   wounds & injur., 512k  
 PLEURISY  
   aseptic, 490w  
 PLEUROPNEUMONIA, 496v  
   epidemiol. & statist., 496t  
 PLUTONIUM PROJECT  
   hygiene, 446h  
 PNEUMOCEPHALUS, 443j, 487b  
 PNEUMOCOCCI  
   infection, 516n  
   metabolism, 425j  
 PNEUMOCOCCIOSIS, 474b  
   cpl. & seq., 441m  
   cotton dust, 422m  
   firebrick industry, 395i  
   pathol., 457m  
   roentgenography, 395j  
 PNEUMONIA, 438a  
   atypical, 433j, 471h  
   classification, 405d  
   cpl. & seq., 413g  
   experimental, 457f  
   lipoid, 471m  
   metabolism, 414-1  
   therapy, 400b, 512r, s, t, u, w,  
     513a, b  
 PNEUMOPERITONEUM  
   artificial, 403e, 409o, 534e  
   therapy, 415n  
 PNEUMOTHORAX, 433b, 508o  
   artificial, 397g  
   traumatic, 424g  
 POIKILODERMA, 503-1  
 POISONS & POISONING, 456h, 500-1,  
   526w  
   glycosuria, 475-1  
   toxicity measurement, 475m  
 POLIOMYELITIS, 489n  
   carriers, 485j  
   cpl. & seq., 393r, 449i, 516v  
   epidemiol. & statist., 409k, 419h,  
     458v, 507t  
   etiolo. & pathogen., 436p  
   experimental, 395w, 458w, 509f  
   immunity, 446u  
   therapy, 489c, n  
   virus, 395w, 419j  
 POLLEN, 412j, 455o  
 PORPHYRIA  
   metabolism, 433k  
 POSTAGE STAMPS  
   hygiene, 416f  
 POSTURE, 451k, 488k, 508i, j  
   tilting, 488m  
 POTASSIUM  
   chlorate, 446d  
   deficiency, 461s  
   dichromate, 475-1  
   metabolism, 462i, 482h  
   therapy, 477w  
 POTATOES  
   vitamins, 391u  
 PRECIPITIN  
   reactions, 471o  
 PREGNANCY  
   blood, 511p  
   care, 405k  
   cpl. & seq., 394d, e, 405j, 436j,  
     469s, 470b, c, 487-1, 511n, 515k  
   diagn., 392j, 1, 436h, 462e, 505r,  
     509v  
   diet, 419-1, m, 506a  
   ectopic, 393t, 409o, 470a, 505w,  
     506-1  
   hemorrhage, 393k  
   kidneys, 511b  
   physiol., 393o, 398c  
   toxemia, 393-1, 394b, 405j, 407s,  
     470c, 474q  
   vomiting, 393m  
 PRESBYOPIA, 452t  
 PRESCRIPTIONS  
   history, 436a  
   labels, 460v  
   metric system, 407g  
 PRISMS  
   contact, 453b  
 PROCAINE  
   chem., 466c  
 PROPADRINE, 460p  
 PROPANE  
   chem., 388-1  
 PROSTATE  
   cancer, 400n, 401t, 442d, 443r, 444v  
   dis., 400u, 444h  
   hypertrophy, 406t, 423i  
   roentgenography, 443m  
   surgery, 439m, 494u  
   tumors, 396j  
 PROSTIGMINE  
   eff., 469o  
   therapy, 459d  
 PROTEINS  
   deficiency, 395q, 447k  
   histochemistry, 468t  
   hydrolysates, 436p, 440n  
   in diet, 391s, t  
   --in animals, 496e  
   pathol., 482d, f  
   therapy, 510s  
 PROTOZOA, 433w, 500e  
   infection in animals, 497b  
 PRURITUS  
   anal, 394-1, m  
   therapy, 392k  
 PSEUDARTHROSIS, 423h  
 PSITTACOSIS  
   therapy, 508r  
 PSORIASIS, 503d  
   pustular, 391n  
   therapy, 442v

**PSYCHIATRY**, 435v  
 forensic asp., 392r  
 pediatric, 448i  
 social service, 463-1  
 teaching, 463n  
**PSYCHOANALYSIS**, 443p, 479h  
**PSYCHOLOGY**, 449s, 463s, 464o, 515b,  
 523n  
     comparative, 536r  
     industrial, 463p  
     social, 448b, 463w, 464f, 534n  
**PSYCHOTHERAPY**, 392r, 442k, 463m, 492o  
     group, 464j, 524-1  
     indications, 450m  
     methods, 464b  
**PUBERTY**  
     precocious, 514i  
**PUBLIC HEALTH**  
     dental, 474i  
     in Alabama, 437b  
     in Australia, 482n  
     in China, 485w  
     in Europe, 486i  
     in France, 472a  
     in Gambia, 486f  
     in Ontario, 419r  
     personnel, 416n  
**PURPERAL INFECTION**, 434d  
     therapy, 512i  
**PURPERIUM**  
     care, 405-1  
     early rising, 408o, 469q  
     heart, 457u  
     hemorrhage, 396o  
**PULSE**, 491r  
     fetal, 467r  
     tests, 481u  
**PUPILS**  
     dilatation & contraction, 478r  
**PURPURA**  
     haemorrhagica, 506u, 515k  
     simplex, 504i  
**PYELITIS**, 494i  
**PYELOGRAPHY**, 439o  
     injur. eff., 420w  
**PYELONEPHRITIS**  
     infectious bovine, 465d  
**PYEMIA**, 496u  
**PYLORUS**  
     hypertrophy & stenosis, 475a  
     obstruction, 514h  
**PYODERMA**  
     therapy, 411m  
**PYORRHEA ALVEOLARIS**, 390r  
**PYRAMIDAL TRACT**  
     dis., 448q  
**PYRIDOXINE**  
     therapy, 393m  
**PYRIDYL**, 388i  
**PYRIMIDINE**  
     determ., 493a, b  
     metabolism, 493o  
**PYRROLIDINE**, 445-1, 445n  
     toxicity, 445m

**Q FEVER**, 521o  
**QUARTZ**  
     pathol. eff., 457m  
**QUINACRINE**, 492w  
     eff., 516s  
     toxicity, 478b  
**QUINOLINES**, 441h  
     aminoquinoline, 388k

**RABIES**  
     history, 514k  
     immunity, 486a  
**RACES**, 385e, 523q  
**RADIATIONS**  
     eff., 392v, w, 422g, 447t  
     injur. eff., 395d, 422j, p, 475j  
     measurement, 467n  
**RADIOACTIVITY**, 387w, 420u, 421u,  
     461r, 487e  
     therapy, 421t, 473i  
**RADIOLOGY**  
     history, 408w  
**RADIOTHERAPY**, 487e  
**RADIUM**  
     therapy, 453s, w, 515a  
**RADON**  
     therapy, 487c, 516r  
**RAPE**, 430v  
**RATBITE FEVER**  
     epidemiol. & statist., 426p  
**RATS**  
     extern., 420g, 531j, k, l  
     strains, 499i  
**RAYNAUD'S DISEASE**, 422h, 503m, u,  
     504e, 510q  
**READING**, 528u  
     therapy, 394p, 432a  
**RECORDS**, 401a  
**RECREATION**, 492o  
**RECRUITS**  
     dental defects, 389n, 502j  
     rejected, 401s  
     segregation, 477t  
**RECTUM**  
     abnorm., 396s  
     cancer, 409r, 518i  
     -- in Negroes, 474j  
     dis., 394-1, 431k, 473s, 490t  
     foreign bodies, 414-1  
     prolapse, 488u  
     stricture, 476h  
     surgery, 414s, 532u  
     wounds & injur., 424u  
**REFLEX**  
     anorectal, 431k  
     aural, 452w  
     conditioned, 450q, 462-1  
     rectal, 394-1  
     uterine, 440i  
     vasomotor, 450q  
**REGENERATION**  
     endocrine asp., 385u  
**REHABILITATION**, 417a, e, 491o, 492b,  
     492g  
     family relations, 492b  
     hospitals, 522m  
     psychiatric asp., 392r, 463k, 477j  
**REITER'S SYNDROME**, 431i  
**RELAPSING FEVER**  
     Asiatic, 471k  
     metabolism, 467-1  
**RENNIN**, 536b  
**RENOTROPHINS**, 482a  
**REPRODUCTION**  
     androgenesis, 447t  
**REPTILES**  
     bacteria, 496f  
**RESEARCH**, 523-1  
     in Russia, 523p  
     postwar, 514p  
**RESINS**  
     acrylic, 389m, 515m  
**RESORCINOL**, 481g  
**RESPIRATION**  
     artificial, 436o, 516k, 518o  
     exercise, 518q  
     hyperpnea, 405o  
     physiol., 386w, 462j, 533r  
     posture, 488m  
**RESPIRATORY TRACT**  
     abnorm., 493q  
     dis., 408k, 416s, 419i, 431k, 439k  
     477t, 478n, 451o  
     physiol., 433h, i, 523o



- RESTROPIN, 401b  
 RETICULITIS  
   traumatic, 496u  
 RETICULOENDOTHELIAL SYSTEM  
   pathol., 401b  
 RETINA  
   abnorm., 525s  
   blood supply, 441o, 452k  
   cancer, 500e  
   detached, 452n, 480a  
   exam., 397e  
   pathol., 452v  
   phosphene, 466g  
   pigments, 482c  
   tumors, 525p  
 RETINITIS  
   pigmentosa, 524d  
 RETROVESICAL REGION  
   cancer, 494m  
 RHEUMATIC FEVER, 404k, 427-1  
   cardiac opl., 526u  
   diagn., 406b, 508q  
   epidemiol. & statist., 399j, 473d  
   in adults, 438p  
   in inf. & children, 512f  
   recurrence, 477s  
   skin, 477r  
   therapy, 516k  
 RHEUMATISM, 508d  
   & tuberculosis, 474a  
   history, 515o  
   in inf. & children, 399j  
   in soldiers, 515o  
   palindromic, 510a  
   therapy, 435w  
   tuberculous, 406b, 474a  
 RHINITIS  
   atrophic, 454o  
   vasomotor, 403d, 454w, 475s, 524q  
 RHINOPHYMA, 504b  
 RHUS  
   toxicity, 456s  
 RIBOFLAVIN  
   standardization, 387u  
 RIBS  
   fractures, 442i  
 RICARD TECHNIC, 510-1  
 RICKETS, 459q  
   opl. & seq., 421s  
   in cattle, 535e  
 RICKETTSIA, 521o  
   identification, 516u  
   orientalis, 407m  
 RIGIDITY (Psychological) 464b  
 RINDERPEST, 496w  
 RINGWORM  
   in calves, 535a  
   epidemiol. & statistics, 400e  
   kerion, 515i  
 ROENTGEN RAYS  
   apparatus, 421e, 476u, 522h  
   diagn., 487g  
   eff., 386c, 470w  
   history, 389i, 421e, f, g, h, i, j, k  
   injur. eff., 391o, 393g, k, 475f, l, 487c, 502s  
   lethal dose, 421m  
   protection, 412g, 421d, 422q  
   technic, 477b  
 ROENTGENOGRAMS, 389w, 421v  
 ROENTGEN THERAPY  
   apparatus, 487f  
   dose, 421k, w, 422o  
 RUBELLA  
   opl. & seq., 525t  
   in pregnancy, 511j  
 RUMEN  
   absorption, 467s  
   physiol., 467r  
 RUSH, Benjamin, 413s  
 RUTIN, 447-1  
 SACCHARIDES, 514n, 528i  
 SACCHAROMYCES  
   cerevisiae, 523e  
 SACROCOCCYGEAL REGION  
   pain, 451s  
 SALICYL CPDS.  
   eff., 508q, 516k  
 SALIVA  
   chem., 390-1  
   lipoids, 429s  
 SALIVARY CALCULUS, 389q  
 SALIVARY GLANDS  
   pathol., 426u, v  
   syphilis, 426u  
   tumors, 400t, 454g  
 SALMONELLA, 455j  
   andrews, 395r  
   infection, 425m, 454w, 522d  
   --in animals, 496f, 498d  
   --in children, 407e  
   manhattan, 496f  
   montevideo, 496f  
   newport, 496f  
   orion, 465j  
   pullorum, 536h  
   sandiego, 496f  
   schottmulleri, 459h  
 SAPONINS, 461e  
 SARCOIDOSIS, 503p, 504f, 515k  
   & tuberculosis, 456b  
   pathol., 438v  
 SARCOMA, 517p  
   Kaposi's, 437h, 504a  
   leiomyosarcoma, 532q  
   lymphosarcoma, 411v, 412b, 421-1  
   osteosarcoma in animals, 498u  
   reticulosarcoma, 504k  
   spindle-cell, 410k  
   venereal in dogs, 458b  
 SCABIES, 444g, 535i  
   opl. & seq., 396p  
   epidemiol. & statist., 406e  
   in rabbits, 497m  
   therapy, 414d, 536g  
 SCALF  
   dis., 391h  
 SCAFULA  
   fractures, 423f  
 SCARLET FEVER  
   associated dis., 518p  
   epidemiol. & statist., 464w  
 SCHISTOSOMIASIS, 438u, 525h  
   experimental, 516g  
 SCHIZOSACCHAROMYCES  
   versatilis, 465n  
 SCHMIEDEN'S SUTURE, 510s  
 SCHOOLS  
   absenteeism, 448n  
   dental serv., 389s  
   diet, 409s  
 SCHOOLS MEDICAL  
   Maryland, 472h  
   Stanford, 470f  
 SCIATICA, 514d, e, h  
   etiol. & pathogen., 488e  
   therapy, 431h  
 SCIENCE  
   history, 441f  
 SCLERA  
   staphyloma, 479w  
   surgery, 452s  
 SCLERODERMA, 503m, u, 504-1, m  
   therapy, 511j  
 SCLEROBIS  
   amyotrophic lateral, 479e  
   disseminated, 448s, 470o  
 SCOPOLAMIN  
   toxicity, 415o  
 SCOTOMA, 525q  
 SCROTUM  
   cancer, 386m  
 SOURVY  
   experimental, 466b  
   pathol., 532e  
 SEA ANEMONES, 467p

- SEDATION, 408u  
 SEEDS, 407p, 526v  
 SELENIUM  
   toxicity, 496e,  
 SELLA TURCICA  
   meningioma, 479q  
 SEMEN, therapeutic use, 518r  
   bacteria, 425s  
   precipitin reactions, 471c  
 SEMILUNAR CARTILAGES  
   fractures, 488w  
 SEMINAL VESICLES  
   cancer, 494m  
   dis., 494-1  
 SENSATION  
   cutaneous, 462q  
 SEPTICEMIA, 396i  
   hemorrhagic, 497a  
   in children, 459q  
   puerperal, 434d  
   therapy, 474v, 518j  
   wound, 395f  
 SEPTUM  
   rectovaginal, 488d  
 SERODIAGNOSIS  
   micromethods, 507d  
 SEROTHERAPY, 519w  
 SERTOLI CELLS, 516f  
 SERUM  
   agglutinins, 407a  
   immune, 385s, 457k, 514s  
   thymol turbidity reaction, 388b  
   transportation, 417i  
 SEWAGE, 420p  
   disposal, 420k, 1, m, o  
 SEX, 534n, p  
   education, 419v, 431d, 505f, g, h  
   perversions, 434e, 464g  
 SHEEP  
   dis., 496-1, 498b, n  
 SHOCK  
   blood, 400q, 441a, 461q, 489g  
   blood circulation, 435-1  
   blood vessels, 401k  
   etiol. & pathogen., 406w  
   experimental, 435i  
   in soldiers, 445f  
   kidneys, 461u, v  
   obstetric, 405g  
   pathol., 526r  
   surgical, 401k, 512-1  
   therapy, 488a, 489i, 491c, 532i  
 SHOES, 439f  
 SHOULDER, 431j  
   anat., 533-1  
   dislocations, 415m  
   immobilization, 522i  
 SIBLIN, 492j  
 SIDEROSIS  
   bulbi, 479o  
   cerebral, 449i  
 SIGAUD'S TYPES, 533u, 534e, f, i  
 SIGMOID  
   cancer, 514w, 518h  
   SIGMOIDOSCOPY, 416t  
   SILFVERSKIOLD MORQUIO disease, 415g  
   SINGING, 449o, 492c  
   SINOPHARYNGOSTOMATITIS, 454-1  
   SINUSES NASAL, 397e  
   dis., 405h, 411k, 443g, 449k, 454e,  
   455u, 526-1  
   drainage, 474n  
   fractures, 526e  
   gangrene, 423r  
   pneumocoele, 454e, 475n  
   roentgenography, 421i  
 666 (insecticide) 535o  
 SKIN  
   abnorm., 435r, 515r  
   cancer, 420u, 434m, 503f, 517m, 453c  
   dis., 397c, 428p, 460c, 455t, 476g,  
   477r, 502s, t, u, 503n, q, r, 511d,  
   521-1, 522c  
   --in animals, 536k  
   --in children, 451r, 524r  
   irradiation, 516r  
   melanoma, 453c  
   metabolism, 462m  
   pathol., 391f  
   physiol., 503a, 508t  
   reactions, 440t, 519g  
   transplantation, 406c, 423p, 532h, n,  
   532r  
   tuberculosis, 503s, v, 504i, 508c  
   tumors, in animals, 496r  
   water diffusion, 503a  
 SKUNKS, 497h  
 SLEEP  
   disorders, 448u, 475b  
 SMALLPOX  
   epidemiol. & statist., 464n, 521q  
 SNAILS, 467i  
 SOCIAL SCIENCE, 425d, 437t  
 SOCIAL SECURITY, 444n  
 SOCIETIES MEDICAL, 473s, 492f  
   --O.R.C. Med. Soc., 444i  
   --Vancouver Med. Assn., 434r  
 SODIUM  
   radioactive, 421u  
   toxicity, 420m  
 SOIL  
   bacteriol., 425u  
 SOLUSTIBOSAN, 485v  
 SOLVENTS, 464r  
 SOUNDS  
   resonance reactions, 446i  
 SPECIALISM, 402n, 513g  
 SPECTROSCOPY  
   nuclear, 446q  
 SPEECH  
   defects, 439i, 448i, 1  
 SPERMATOGENESIS, 516f  
 SPERMATORRHEA, 406n  
 SPERMATOZOA, 443f  
   migration, 393h  
   therapy, 518r  
 SPHENOID BONE, 432t  
 SPHINCTER MUSCLES, 487-1  
   Oddi's, 518k  
 SPIDERS, 522g  
 SPINAL CANAL PUNCTURE,  
   cpl. & seq., 515r  
 SPINAL CANAL ROENTGENOGRAPHY, 450f  
 SPINAL CORD  
   development, 385v  
   wounds & injur., 441e  
 SPINE  
   abnorm., 487o  
   curvature, 520j  
   dis., 489e  
   foreign bodies, 442-1  
   fractures, 414v, 423b  
   intervertebral disks, 424t, 433p,  
   434t, 474h, 488e, 514f, g, h, 515r  
   surg., 424t  
   wounds & injur., 424i, 442-1, 478d,  
   488u, 521o  
 SPIROCHETA  
   cult., 390n  
   novyi, 425n  
   pomona, 441q  
   sejroe, 413w  
 SPIROCHETOSIS  
   canine, 457q  
   cpl. & seq., 413w  
   grippytyphosa, 426b  
   icterohaemorrhagic, 394v, 397k, 439t  
   474t  
   swineherders, 441q  
   transmission, 536j  
 SPLEEN  
   anat. & histol., 499k  
   dis., 515k  
   rupture spontaneous, 424s  
   wounds & injur., 428o  
 SPLENECTOMY  
   indic., 396-1  
 SPLENOMEGALY, 456p  
   etiol. & pathogen., 510w  
 SPLINTS, 417j, 468n  
   hazards, 424j

- SPONGES, 521e  
 SPOROTRICHOSIS, 503i  
   ocular, 453g  
 SPRUE  
   in India, 397j  
   therapy, 438t, 473k  
 SPUTUM  
   bacteriol., 433w  
   exam., 440o  
 STAINING, 468t, u, v, 473m, 499s, 500o  
   500u  
   bacterial, 465i  
 STAPHYLOCOCCI  
   aureus, 387b, 465q  
   infection, 387b, 485j, 518j  
   pathogenicity, 425r  
   toxin, 466e  
   toxoid, 466p  
   viability, 413i, 516-1  
 STARCH  
   metabolism, 388n, o  
 STARVATION, 400w, 440m, 441j  
 STATISTICS, 426-1, 523p  
 STEEL  
   injur. eff., 533b  
 STERCULIA gum, 481g  
 STEROIDS, 482a  
 STEROLS, 472n  
 STERILITY, 416j, 432p, 472s  
   etiol. & pathogen., 393h  
   experimental, 446t  
   therapy, 519h  
 STERILIZATION  
   sexual, 393p, 469q  
 STETHOSCOPE  
   value, 397o  
 STINGRAYS, 407p  
 STOMACH  
   acidity, 404a, 423s  
   blood supply, 423m  
   cancer, 386n, 392f, 415a, 440h, 443m, 456m  
   cardiospasm, 412q  
   exam., 392f, 430m  
   extract, 536b  
   hypersecretion, 432o  
   inflammation, 398f, 399a, 426q  
   pain, 411o  
   rupture, 456o  
   secretion, 402r, 509e  
   surgery, 399q, 412q, 415d, 424q, 443b, 490q  
   syphilis, 511t  
   tuberculosis, 430n, 469e, 490r  
   tumors, 491k, 532q  
   volvulus, 398k, 405d, 488w  
   wounds & injur., 532k  
 STOMATITIS  
   gangrenous, 475o  
   ulcerative, 468e  
   vesicular in cattle, 497n  
   virus, 496a  
 STOMATOLOGY  
   history, 468p  
 STRABISMUS  
   classification, 472t  
 STRANGULATION, 519k  
 STREPTOCOCCI  
   agalactiae, 496b  
   carriers, 521t  
   cremoris, 484u  
   fecalis, 387s  
   hemolytic, 433d, 470t, 473m  
   infections, 433r  
   --mixed, 490w  
   lactis, 484u  
   viability, 395p  
   viridans, 468d  
 STREPTOMYCIN, 402g, 525t, 536j  
   eff., 425h, 425k, 473d, 516e  
   prep., 388f  
   standardization, 425i, p  
   therapy, 433c, 436e, 445q, 475q  
 STREPTOTHRICIN  
   eff., 425h  
   standardization, 425i
- STRESS TOLERANCE TEST, 450p  
 STRETCHER, 476d  
 STRONGYLOIDES, 496-1  
 STRYCHNINE, 472n  
 SUBMAXILLARY DUCT  
   calculus, 422n  
 SUBMAXILLARY GLANDS  
   dis., 455b  
 SUBTILIN, 516h  
 SUCCINYL-SULFATHIAZOL  
   therapy, 405q  
   --veterinary, 497i  
 SULFADIAZINE, 458a  
   eff., 473m  
   therapy, 471p, 473w, 522h  
 SULFADINE, 473j  
 SULFAGUANIDINE  
   therapy, 500j  
 SULFAMERAZINE  
   therapy, 459a, 500i, 536h  
 SULFAPYRIDINE  
   toxicity, 509v  
 SULFATES, 509e  
 SULFATHALIDINE  
   therapy, veterinary, 497h, i  
 SULFATHIAZOLE, 388g  
   administration, 393o  
   synergists, 405n  
   therapy, 393n  
 SULFAZOLE, 473j  
 SULFHYDRYL, 387o  
 SULFIDINE  
   administration, 512s, t, v  
   toxicity, 459u, v, 512s  
 SULFITE PULP INDUSTRY, 471p  
 SULFONAMIDES, 518n  
   administration, 393o  
   chem., 388j  
   indications, 521f, g, h  
   therapy, 413u, 520m, 521e  
   --veterinary, 534u  
   toxicity, 439v, 459b, c, 507u  
 SULFONES, 448p  
 SULFOXIDES, 448p  
 SURGERY, 490i  
   history, 404f  
   in Great Britain, 397s  
   in Rhode Island, 443v  
   plastic, 522-1, 532d, r  
   positions, 488k  
   postoperative care, 410e, 442m, 533f  
   postoperative opl., 402k, 414g, 436t, 489i, 505u  
   progress, 417o  
   veterinary, 497h, 498s  
 SUSA, 420h  
 SUTURES, 490e, 510s, 524d, 525g  
 SWEAT GLANDS  
   dis., 502w, 504e  
   physiol., 462m  
   tumors, 470b  
 SWEET POTATOES, 447j  
 SWINE  
   diseases, 524u, 536o  
   indications, 477o  
   sympathy, 469u  
 SYMPHYSIS PUBIS  
   sarcoma, 409e  
 SYNCOPES, 409c  
 SYNGAMIDAE, 500m  
 SYPHILIS  
   congenital, 495o, 513r, 519j  
   prev., 495m  
   social asp., 442e  
   serodiagnosis, 399k, 404e, 430g, 440u, 443c, 470t, 472t, 495m, 503i, 513-1  
   therapy, 394i, 398t, 443q, 449t, 457p, 466n, 492j, 518u  
 SYRINGES, 525b  
 SYRINGOMYELIA, 441e

TABES DORSALIS, 476b  
 roentgenography, 420v  
 TAILS  
 nervous system, 499e  
 TALCUM, 452r  
 TANTALUM  
 surg. use, 454d  
 TARTRATES, 425o  
 TEETH  
 abnorm., 478b, 519j  
 ageing, 390o  
 bacteriology, 419g  
 caries, 389n, 390k, 391c, 429n, p,  
 429q, 467w, 502h, 521s  
 development, 428d, 429a, b  
 diet relations, 390s  
 dis., 390g, 428p  
 enamel hypoplasia, 391c  
 exam., 389h  
 extraction, 390b, 502c, 518s  
 fillings, 429v, 430c  
 histol., 468v  
 hyperesthesia, 468g  
 malocclusion, 428e, 501v, w  
 movements, 389c  
 prostheses, 389m, 390c, d, e, f, p,  
 390v, 391b, 417g, 428p, s, 430b,  
 477r, 522m  
 pulpitis, 468e, f  
 roentgenography, 389i, v, 390a,  
 429k, 468d  
 root canal therapy, 468a  
 root resection, 502b  
 syphilis, 513r  
 third molar, 428h  
 TEMPERATURE  
 eff., 446u  
 TEMPUP (instrument) 510u  
 TESTES  
 cancer, 401c, 456o, 490e  
 diseases, 521v  
 ectopic, 490e  
 hypertrophy, exper., 517g  
 insufficiency, 401m  
 physiol., 466q, 532v  
 tumor, 401c  
 undescended, 458t  
 wounds & injur., 495e  
 TETANUS  
 epidemiol. & statist., 406a  
 postoperative, 437r, 491f  
 therapy, 440a, 497g  
 TETANY  
 infantile, 406j  
 TETRACHLOROETHYLENE, 496-1  
 TEXTILES, exam., 485a  
 THELAZIASIS, 536i  
 THERAPEUTICS  
 history, 486o  
 polytherapy, 398q  
 THIAMIN  
 deficiency, 517t, 523i  
 toxicity, 473e  
 THIAZOLE, 388q  
 THIGH  
 amputation, 423n  
 wounds & injur., 410d  
 THIOCYANATES, 463b  
 THIOURACIL, 437a  
 eff., 472-1  
 toxicity, 403h, n, 414m, o, 460v,  
 506u, 509w  
 THORAX  
 deformities, 474k  
 roentgenography, 420d, 487d  
 sarcoma, 410k  
 surg., 424u, 488-1  
 tumors, 412o  
 wounds & injur., 424e, g, 437m,  
 512k, 533g  
 3349 (antimalarial), 492r, t, u, w  
 493a, b, c  
 THREONINE  
 determ., 387s

THROAT  
 infections, 405p, 433d  
 syphilis, 503o  
 tumors, 454s  
 THROMBOANGIITIS OBLITERANS  
 in women, 475r  
 THROMBOPHLEBITIS, 436m  
 opl. & seq., 508s  
 splenic, 510w  
 THROMBOSIS, 436d  
 aortic, 527b  
 calcification, 527b  
 coronary, 436e  
 deep veins, 402w  
 femoral, 402r, 435k  
 gastric, 456o  
 mesenteric, 512n  
 retinal, 525u  
 sinus, 454r  
 therapy, 409m, 517k  
 THYMOL TEST, 388b  
 THYMUS  
 physiol., 466q  
 THYROID  
 cancer, 487m  
 dis., 412p  
 eff. removal, 398b, 435j, 441u, 454-1  
 462h, 509w  
 forensic asp., 430q  
 function test, 399u  
 hyperthyroidism, 392m, 394i, 397q,  
 414m, 435j, 445e, 508h, s, 513r  
 inhibition, 387m  
 iodine content in sharks, 446e  
 physiol., 499p  
 prep., 385u  
 tumors, 456-1, 511u  
 TICS  
 in children, 450i, k, l, m, n  
 neurodynamics, 450k  
 TICKS, 497s, 512p  
 TINNITUS, 468a, 515a  
 TISSUE  
 chem., 387j, 462p  
 cult., 385r, 500u  
 elastic, 500c  
 respiration, 387o  
 transplantation, 532d  
 TOBACCO  
 amblyopia, 398n  
 eff., 435o, 525q  
 TOMATO LEAF EXTRACT, 442v  
 TONGUE  
 anat. & histol., 499k  
 exam., 508a  
 foreign bodies, 526m  
 TONSIL FOSSA  
 tumors, 454g  
 TONSILLECTOMY  
 anesthesia, 480n  
 indications, 404r  
 TONSILS, 454t  
 ageing, 400j  
 bacteriol., 425r  
 dis., 397e, 413u, 443g, 518s  
 TORULA  
 infection, 444f, 476o  
 TOXINS, 511d  
 eff., 466e  
 TRACHEA  
 aspiration, 417i  
 epithelioma, 412k  
 pressure, 454b  
 TRAUMA, 532f  
 pathol., 457i, j  
 TRAUMATOLOGY  
 institutes:  
 --Montevideo, 490o  
 TREMATODES  
 Lepocreadiidae) 500o  
 TRENCH FOOT, 417e  
 TRICHINOSIS, 419m

- TRICHOMONAS  
 augusta, 500k  
 foetus, 494d  
 vaginalis, 391i, 506c, 510o
- TRICHOSTHOMYLOSIS  
 prev. & control, 496-1
- TRICUSPID VALVE  
 stricture, 435n
- TRIDIONE  
 therapy, 511i
- TROMBICULIDAE, 500m
- TROPICAL MEDICINE, 406m, 409-1, 471-1  
 527b
- TROPICS, 508t  
 hygiene, 485a
- TRYPTOPHAN  
 deficiency, 446t
- TSETSE GLOSSINIDIOSIS, 416v, 478e  
 blood, 407m  
 diagn., 514n  
 fluid balance, 407g  
 immunity, 471j
- TUBERCLE BACILLI, 465w, 493s, 507e  
 avian, 484t  
 staining, 465i  
 eff. antibiotics, 447d  
 endotoxoid, 435e
- TUBERCULIN  
 eff., 493r
- TUBERCULOSIS, 438a, d  
 allergy, 493r  
 & diphtheria vaccine, 415h  
 & rheumatism, 474a  
 associations:  
   Tom Green Co., 444s  
 atypical, 513m  
 avian  
   --in humans, 405p  
 bovine, 457s, 497r  
 Calmette-Guérin immunization, 486n  
   509k, 533q, v  
 care, 439w  
 congenital, 435r  
 constitution, 533u, 534e, f, i  
 diagn., 416f, 533g  
 employment, 509-1  
 epidemiol. & statist., 397u, 400v,  
   401s, 410q, 411f, g, 426i, 439c, 440c  
   458f, 476u, 493w, 494c, d, 509j, 531q  
   534b, i  
 etiolo. & pathogen., 411p, 440k  
 family problem, 410u  
 familial, 426i  
 hypotheses, 493n  
 immunity, 410r, 440g, 494e  
 in infants & children, 397-1, 410v  
 in Negroes, 410q  
 in pregnancy, 409t, 511q, 534b  
 in students, 472b  
 industrial asp., 401s, 411a, b  
 mortality, 531s, 534g  
 nutrition, 441c  
 occupational therapy, 491w  
 pathol., 494e  
 prev. & control, 401q, r, 410u, w,  
   411b, d, e, 413q, 419c, 434n, 498g  
   509j  
 public health asp., 410t  
 rehabilitation, 403u, 411e, 442p,  
   510g  
 sanatoriums, 472b  
 therapy, 410s, 411g, 473w, 474a, 493s  
 transmission, 533s  
 tuberculin reactions, 419c, 437t  
   440t, 458e, 458f  
 tuberculin therapy, 413-1
- TUBERCULOSIS PULMONARY  
 artificial pneumothorax, 509-1,  
   533v, 534h  
 cavitation, 403e, 422k, 494b  
 opl. & seq., 437i  
 diagn., 476u, 510e  
 etiolo. & pathogen., 405p, 411p, 534c  
 pleura, 507r  
 roentgenography, 486r
- surgical therapy, 392w, 411c, d,  
 493p, 494b, 510f, 533p, 534e  
 therapy, 407i, 435c, 440c, 510f,  
   533p
- TULAREMIA  
 epidemiol. & statist., 438-1, n  
 therapy, 436e
- TUMORS  
 adamantinoma, 428j  
 adenolymphoma, 400t  
 adenoma, 404v, 409d, 433e, 436g,  
   455a, 491k  
 angioendothelioma, 511u  
 angioma, 487d, 494h, 523u  
 chloroma, 509a  
 chondroma, 422n, 489c  
 cylindroma, 437j, 533e  
 dermoid, 402a, 469n  
 endothelioma, 471c  
 etiology, 457i  
 Ewing's, 409e  
 experimental, 445k  
 giant cell, 412k  
 glioma, 450c, 525p  
 heredity, 457r  
 Hurthle cell, 456-1  
 hypernephroma, 475h  
 immunity, 471b  
 in animals, 496r, 498o, u, v,  
   536f  
 leiomyoma, 433s  
 lipoma, 436t, 526m  
 lymphoblastoma, 503t  
 lymphoma, 421t, 473i, 487e  
 melanoma, 423t, u, 453c, 504g  
 meningioma, 479q  
 metastases, 423t  
 mixed, 389h, 454g, 536f  
 myeloma, 475p  
 neuroepithelioma, 500e  
 odontoma, 502e, f,  
   osteoma, 472g  
 papilloma, 403e, 434i  
 pheochromocytoma, 452v  
 polypous, 487k, 526j, m  
 sympathoma, 412c  
 teratoma, 401c, 450f  
 therapy, 518r
- TWINS  
 in animals, 499j
- TYPHOID  
 bacilli, 405n  
 epidemiol. & statist., 464n, 484w  
 immunity, 411u  
 manifestations, 426t, v  
 toxin, 466e
- TYPHUS, 398g, 528k  
 epidemiol. & statist., 416t, 531j  
 immunity, 394t  
 in Russia, 407c  
 pathol., 466o  
 prev. & control, 471t, 531-1  
 transmission, 426b  
 vaccine, 456u
- TYROSINE  
 eff., 427e, 472o
- TYROTHRICIN  
 therapy, 455u, 502u
- UDDERS  
 infl., 496b, i, p, 498f, s, 536b, i
- ULCERS  
 opl. & seq., 520u  
 pathol., 422b  
 post-irradiation, 487c  
 therapy, 423e, 487c, 511h, 532d  
 tropical, 478c, 503h
- ULERYTHEMA acneiform, 503p
- ULTRAVIOLET RAYS  
 apparatus, 414h  
 therapy, 414g, 491p

UNDULANT FEVER, 437n, 518v  
cpl. & seq., 506o  
epidemiol. & statist., 51ot  
public health asp., 485u  
serodiagnostics, 516w  
therapy, 403j  
URACHUS  
cancer, 494u  
URANIUM  
toxicity, 456h  
URANYL nitrate  
toxicity, 475-1  
URBACH KOENIGSTEIN TECHNIC, 455r  
UREA, 46or  
UREKIA  
etiolo. & pathogen., 413w  
UREOMETER, 522r  
URETERS  
abnorm., 439o  
obstruction, 515i  
roentgenography, 422-1  
stricture, 495f  
transplantation, 451r  
URETHRA  
calculi, 518g  
infl., 400u, 431i, 472s  
tumors, 506o  
URIC ACID, 463a  
URINARY TRACT  
calculi, 494k, 512m  
dis., 494i  
infections, 414v, 434a, 494q  
pathol., 465o  
rentgenography, 421g  
URINATION, 52or  
disorders, 396u  
incontinence, 397h, 411r, 422u,  
479b  
URINE  
bilirubin, 467d, e  
chlorides, 414g  
creatine, 466q  
pyrimidine, 493e  
pyruvic acid, 507d  
sodium cpds., 414g  
steroids, 516p  
sugar, 404d, 475-1, 526w  
urobilin, 414w  
URTICARIA  
therapy, 41on, 444k  
UTERUS  
abnorm., 393r  
--in animals, 498o  
adnexa, 440u  
cancer, 393g, 1, k, 394d, 416f, 438s  
475j, k, 490f, 491b  
contraction, 511n  
dis. in cattle, 535-1, 536e  
displacements, 435v  
edema, 505t  
eff. drugs, 445n, 466w  
excision, 393q, 475g  
fibroma, 411u  
hemorrhage, 393p, 505s  
hydatiform mole, 393u  
incarceration, 487-1  
innervation, 426r, 440i  
irradiation, 475j, 1  
mucus, 469p  
pain, 469u  
prolapse, 393s, 408h  
sarcoma, 398m  
tumors, 436h, 506h  
"VEITES"  
cpl. & seq., 522i



## VITAL STATISTICS

in Adelaide, 482n  
 in Alaska, 529e  
 in Arizona, 529g  
 in Belgium, 418f  
 in Buenos Aires, 482q  
 in California, 529i  
 in Canada, 529k  
 in Ceylon, 482t  
 in Chile, 418h, 482w  
 in Copenhagen, 529m  
 in Cyprus, 418k  
 in England, 483e  
 in Fiji, 418m  
 in France, 493h, 530v  
 in Georgia, 529r  
 in Great Britain, 405e, 431e  
 in Indiana, 529s  
 in Italy, 530r  
 in Kenya, 483j  
 in Melbourne, 483m  
 in Nebraska, 529u  
 in Nicaragua, 529w  
 in North Carolina, 530a  
 in Omaha, 530c  
 in Palestine, 418t  
 in Panama, 530d  
 in Queensland, 418w  
 in Sacramento, 530g  
 in St. Louis, 530i  
 in Scotland, 483r  
 in South Australia, 483t  
 in Trinidad & Tobago, 484b  
 in Union of South Africa, 484d, e  
 in U.S., 464n, 530p  
 in Uruguay, 484h, 531a, 533q  
 in Utah, 531d  
 in Vancouver, 531f  
 in Virginia, 531h  
 morbidity, 418d, o, q, 419b, 472a,  
 486i, 513j, 529o, 530k  
 mortality, 483b, 485r, 530m, 531t  
**VITAMINES**, 474f  
 A, 427q, r, 467e, 469i, 486s, 523o  
 antivitamines, 457r  
 B, 391h, 401a, 410b, 425w, 455t,  
 466i, 473b, k, 478-1, 508w, 517b,  
 517c, 521r  
 D, 469g  
 E, 499t, 517q  
 in diet, 509t  
 K, 406s, 429o, 437g  
 requirements, 517m  
 synthetic, 516q  
 toxicity, 517w  
**VITELLUS**, 500u  
**VITREOUS HUMOR**, 452n  
**VOCAL CORDS**, 454m  
**VOCATIONS**, 463p, 528u  
 psychol., 528q  
**VOICE**  
 disorders, 515d, 526n  
**VOMITING**  
 mechanism, 516b  
**VULVA**  
 cancer, 470b  
 tumors, 423b, 470b  
 varicoes, 470b

## WALKING, 462f

**WAR**, 406h, 446k  
 bacterial, 403o  
 diseases, 397u, 400v, 406a, 439w, 440o  
 445g, 471i, 476u, 486i, 509j, 517w  
 521b, p, 531q  
 naval, 477d  
 nutrition, 391w, 407s, 417t, 440m,  
 441j, 460b, 484m, 497f, 521r  
 occupied areas, 425d  
 --see also Military Medicine, under-  
 ground.  
 prisoners & refugees, 391w, 400v,  
 408r, 417s, t, 433q, 439w, 440o,  
 442a, 476b, 476u, 477h  
 psychol. asp., 448g, 448s, 517w  
 public health asp., 409-1, 461k,  
 521s  
 reconstruction, 425e, 514p  
 social asp., 505e  
 wounds, 532-1  
**WARTING BLENDER**, 425m  
**WATER**, 419w  
 metabolism, 433h, 462m, 503a, 508t  
 509d, 523o  
 mineral, 471v  
 purification, 420n, 427v  
**WHISKEY**, 504u  
**WHOOPING COUGH**, 527r  
 therapy, 425k  
 vaccine, 425t  
**WITTHAACK'S FLUID**, 480h  
**WOMEN**, 505f  
**WORK**  
 physiol., 466e  
**WOUNDED**  
 transportation, 401d, 478d, 486q,  
 515j  
**WOUNDS**, 491a, 514b, 532f  
 bacteriol., 449v  
 epl. & seq., 410d, 424b, 512j, m,  
 532e  
 gunshot, 476w, 424e  
 healing, 400r  
 hemorrhage, 424b  
 infection, 395f, 533c  
 land mines, 490r, 542-1  
 therapy, 442h, 519c, 521j, 532d  
 532e

## XANTHINES

calculi, 494k

## YAWNING, 462s

**YEASTS**, 465n, 523e  
 eff., 482n  
 in diet, 446a  
**YELLOW FEVER**  
 history, 399c  
 vaccine, 456u

## ZOOLOGY

teaching, 434d

PUBLIC LIBRARY

APR 16 1946

DETROIT

NOTICE

Through its Duplicate Exchange Section, the Army Medical Library is prepared to offer medical libraries outside the United States an opportunity to complete their files of American medical publications. In exchange the Library wishes to receive offers of back issues of any of a very large number of foreign periodical publications.

Correspondence regarding exchange of publications should be addressed to

Army Medical Library  
Acquisitions Division  
7th St. & Independence Av. SW  
Washington 25, D.C.

